

8. REFERENCES

- *Abraham N. 1996. Hematopoietic effects of benzene inhalation assessed by long term bone marrow culture. *Environ Health Perspect* 104 (Suppl 6): 1277-1282.
- *ACGIH. 1996. Threshold limit values for chemical substances and physical agents and biological exposure indices. American Conference of Governmental Industrial Hygienists. Cincinnati, OH.
- *Adlkofer F, Scherer G, Conze C, et al. 1990. Significance of exposure to benzene and other toxic compounds through environmental tobacco smoke. *J Cancer Res Clin Oncol* 116(6):591-598.
- *Ahmad S, Singh V, Rao GS. 1994. Antioxidant potential in serum and liver of albino rats exposed to benzene. *Indian J Exp Biol* 32(3):203-206.
- *Ahmad S, Singh V, Rao GS. 1995. Release of iron from ferritin by 1,2,4-benzenetriol. *Chemico-Biological Interactions* 96:103-111.
- *Aksoy M. 1980. Different types of malignancies due to occupational exposure to benzene: A review of recent observations in Turkey. *Environ Res* 23: 181-190.
- *Aksoy M. 1987. Chronic lymphoid leukaemia and hairy cell leukaemia due to chronic exposure to benzene: report of three cases. *Br J Haematol* 66:209-211.
- *Aksoy M. 1989. Hematotoxicity and carcinogenicity of benzene. *Environ Health Perspect* 82:193-197.
- *Aksoy M. 1991. Hematotoxicity, leukemogenicity, and carcinogenicity of chronic exposure to benzene. In: E. Arinc, J. B. Schenkman and E. Hodgson, eds. *Molecular aspects of monooxygenases and bioactivation of toxic compounds*. NATO advanced science institutes series a: life sciences, vol. 202. New York, NY: Plenum Press. 415-434.
- *Aksoy M, Dincol K, Akgun T, et al. 1971. Haematological effects of chronic benzene poisoning in 217 workers. *Br J Ind Med* 28:296-302.
- *Aksoy M, Dincol K, Erdem S, et al. 1972. Details of blood changes in 32 patients with pancytopenia associated with long-term exposure to benzene. *Br J Ind Med* 29:56-64.
- *Aksoy M, Erdem S. 1978. Followup study on the mortality and the development of leukemia in 44 pancytopenic patients with chronic benzene exposure. *Blood* 52:285-292.
- *Aksoy M, Erdem S, Dincol G, et al. 1984. Anemia due to chemicals and drugs: A study of 108 patients. *Sex Trans Dis* 11, 347.
- *Aksoy M, Erdem S, Dincol G. 1974. Leukemia in shoe-workers exposed chronically to benzene. *Blood* 44:837-841.

- *Aksoy M, Erdem S, Erdogan G, et al. 1976. Combination of genetic factors and chronic exposure to benzene in the aetiology of leukaemia. *Hum Hered* 26:149-153.
- *Aksoy M, Ozeris S, Sabuncu H, et al. 1987. Exposure to benzene in Turkey between 1983 and 1985: A haematological study on 231 workers. *Br J Ind Med* 44:785-787.
- *Allen PD. 1987. Residential population exposure to ambient benzene in California. California Air Resources Board. ARB/TS-87-001.
- *Anbar M, Neta P. 1967. A compilation of specific bimolecular rate constants for the reaction of hydrated electrons, hydrogen atoms and hydroxyl radicals with inorganic and organic compounds in aqueous solutions. *International Journal of Applied Radiation and Isotopes* 18:493-523.
- *Andersen ME, Krishnan K. 1994. Relating *in vitro* to *in vivo* exposures with physiologically-based tissue dosimetry and tissue response models. In: Current concepts and approaches on animal test alternatives. H. Salem, ed. U.S. Army Chemical Research Development and Engineering Center, Aberdeen Proving Ground, Maryland.
- *Andersen ME, MacNaughton MG, Clewell HJ, et al. 1987. Adjusting exposure limits for long and short exposure periods using a physiological pharmacokinetic model. *Am Ind Hyg Assoc J* 48(4):335-343.
- *Anderson D, Richardson CR. 1981. Issues relevant to the 'assessment of chemically induced chromosome damage *in vivo* and their relationship to chemical mutagenesis. *Mutat Res* 90:261-272.
- *Anderson D, Yu TW, Phillips BJ, et al. 1995. An investigation of the DNA damaging ability of benzene and its metabolites in human lymphocytes, using the comet assay. BIBRA Toxicology International, Woodmansteme Rd, German Cancer Research Center, Im Neuenheimer Feld 280, Heidelberg, Germany. (abstract CREMS Abstract)
- *Andrews LS, Lee EW, Witmer CM, et al. 1977. Effects of toluene on metabolism, disposition, and hematopoietic toxicity of [³H] benzene. *Biochem Pharmacol* 26:293-300.
- *Andrews LS, Snyder R. 1986. Toxic effects of solvents and vapors. In: Casarett LJ, Doull J, eds. *Toxicology, the Basic Science of Poisons*. 3rd ed. New York, NY: MacMillan Publishing Co., 641.
- *Angelosanto FA, Blackburn GR, Schreiner CA, et al. 1996. Benzene induces a dose-dependent increase in micronuclei in Zymbal gland cells of rats. *Environ Health Perspect* 104 (Supp 6): 1131-1136.
- *Angerer J, Scherer G, Schaller KH, et al. 1991. The determination of benzene in human blood as an indicator of environmental exposure to volatile aromatic compounds. *Fresenius J Anal Chem* 339(10):740-742.
- *Angley JT, Brusseau ML, Miller WL, et al. 1992. Nonequilibrium sorption and aerobic biodegradation of dissolved alkylbenzenes during transport in aquifer material: Column experiments and evaluation of a coupled-process model. *Environ Sci Technol* 26(7):1404-1410.

- *Anonymous. 1994. Facts and figures for the chemical industry at a glance. *Chemical and Engineering News* 72(27): 28-36.
- *Antoine SR, DeLeon IR, O'Dell-Smith RM. 1986. Environmentally significant volatile organic pollutants in human blood. *Bull Environ Contam Toxicol* 36:364-371.
- *Aoyama K. 1986. Effects of benzene inhalation on lymphocyte subpopulations and immune response in mice. *Toxicol Appl Pharmacol* 85:92-101.
- *Appel BR, Guirguis G, Kim IS, et al. 1990. Benzene, benzo(a)pyrene, and lead in smoke from tobacco products other than cigarettes. *Am J Public Health* 80(5):560-564.
- *Arinc E, Adali O, Iscan M, et al. 1991. Stimulatory effects of benzene on rabbit liver and kidney microsomal cytochrome P-450 dependent drug metabolizing enzymes. *Arch Toxicol* 65(3): 186-190.
- *Armstrong MJ, Galloway SM. 1993. Micronuclei induced in peripheral blood of E u-PIM-1 transgenic mice by chronic oral treatment with 2-acetylaminofluorene or benzene but not with diethyl-nitrosamine or 1,2-dichloroethane. *Mutat Res* 302(1):61-70.
- *Arvin E, Jensen BK, Gundersen AT. 1989. Substrate interactions during aerobic biodegradation of benzene. *Appl Environ Microbiol* 55:3221-3225.
- *Ashley DL, Bonin MA, Cardinali FL, et al. 1994. Blood concentrations of volatile organic compounds in a nonoccupationally exposed US population and in groups with suspected exposed. *Clin Chem* 40(7):1401-1404.
- *Ashley DL, Bonin MA, Cardinali FL. 1992. Determining volatile organic compounds in the human blood from a large sample population by using purge and trap gas chromatography/mass spectrometry. *Anal Chem* 64:1021-1029.
- *Astier A. 1992. Simultaneous high-performance liquid chromatographic determination of urinary metabolites of benzene, nitrobenzene, toluene, xylene and styrene. *J Chromatogr* 573(2): 318-322.
- *ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles. Agency for Toxic Substances and Disease Registry, Division of Toxicology, Atlanta, GA.
- *ATSDR. 1991. Benzene groundwater exposure study Nesmith, South Carolina. Final report Technical assistance to South Carolina Dept. of Health and Environmental Control. Agency for Toxic Substance and Disease Registry. Division of Health Assessment and Consultation. Atlanta, GA.
- *ATSDR. 1992. Case studies in environmental medicine. Benzene toxicity. US Dept. of Health & Human Services. Agency for Toxic Substance and Disease Registry. Division of Health Education. Atlanta, GA.
- *ATSDR. 1995. National Exposure Registry Benzene Subregistry baseline technical report. US Dept. of Health and Human Services I-114. Agency for Toxic Substance and Disease Registry Division of Health Studies. Atlanta, GA.

- Au WW, Anwar W, Paolini M, et al. 1991b. Mechanism of clastogenic and co-clastogenic activity of chromophor with benzene in mice. *Carcinogenesis (Eynsham)* 12(1):53-58.
- *Au WW, Anwar WA, Hanania E, et al. 1990. Antimutagenic effects of dimethyl sulfoxide on metabolism and genotoxicity of benzene *in vivo*. *Basic Life Sci* 52:389-393.
- *Au WW, Ramanujam VM, Ward JB Jr, et al. 1991a. Chromosome aberrations in lymphocytes of mice after sub-acute low-level inhalation exposure to benzene. *Mutat Res* 260(2):219-224.
- *Aubrecht J, Rugo R, Schiestl RH. 1995. Carcinogens induce intrachromosomal recombination in human cells. *Carcinogenesis* 16(11): 2841-2846.
- *Avis SP, Hutton CJ. 1993. Acute benzene poisoning: a report of three fatalities. *J Forensic Sci* 38(3):599-602.
- *Baarson K, Snyder CA, Green J, et al. 1982. The hematotoxic effects of inhaled benzene on peripheral blood, bone marrow, and spleen cells are increased by ingested ethanol. *Toxicol Appl Pharmacol* 64:393-404.
- *Baarson KA, Snyder CA. 1991. Evidence for the disruption of the bone marrow microenvironment by combined exposures to inhaled benzene and ingested ethanol. *Arch Toxicol* 65(5):414-420.
- *Baarson KA, Snyder CA, Albert RE. 1984. Repeated exposures of C57BL mice to inhaled benzene at 10 ppm markedly depressed erythropoietic colony formation. *Toxicol Lett* 20:337-342.
- *Bandow H, Washida N, Akimoto H. 1985. Ring-cleavage reactions of aromatic hydrocarbons studied by FT-IR spectroscopy: I. Photooxidation of toluene and benzene in the NO_x-Air System. *Bull Chem Soc Jpn* 58:2531-2540.
- *Barale R, Giorgelli F, Migliore L, et al. 1985. Benzene induces micronuclei in circulating erythrocytes of chronically treated mice. *Mutat Res* 144: 193-196.
- *Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8:471-486.
- Barrefors G, Petersson G. 1995. Assessment by gas chromatography and gas chromatography-mass spectrometry of volatile hydrocarbons from biomass burning. *J Chromatogr* 710:71-77.
- *Barrett RH. 1985. Assays for unscheduled DNA synthesis in HeLa S3 cells. In: Ashby J, de Serres FJ, Draper M, et al., eds. *Progress in mutation research 5. Evaluation of short-term tests for carcinogens: Report of the International Program on Chemical Safety's collaborative study on in vitro assays*. Amsterdam, Netherlands: Elsevier Science Publisher, 347-352.
- *Bartczak A, Kline SA, Yu R, et al. 1994. Evaluation of assays for the identification and quantitation of muconic acid, a benzene metabolite in human urine. *J Toxicol Environ Health* 42: 245-258.
- *Baslo A, Aksoy M. 1982. Neurological abnormalities in chronic benzene poisoning: A study of six patients with aplastic anemia and two with preleukemia. *Environ Res* 27:457-465.

- *Bayer CW, Black MS, Galloway LM. 1988. Sampling and analysis techniques for trace volatile organic emissions from consumer products. *J Chromatogr Sci* 26:168-173.
- *BCCR. 1990. Barclays California Code of Regulations. Article 5.5. Primary Standards-Organic Chemicals; Article 7. No Significant Risk Levels. Title 22. Register 90, No.26-31. San Francisco, California.
- *Bechtold WE, Henderson RF. 1993. Biomarkers of human exposure to benzene. *J Toxicol Environ Health* 40:377-386.
- *Bechtold WE, Lucier G, Bimbaum LS, et al. 1991. Muconic acid determinations in urine as a biological exposure index for workers occupationally exposed to benzene. *Am Ind Hyg Assoc J* 52:473-478.
- *Bechtold WE, Sabourin PJ, Henderson RF. 1988. A reverse isotope dilution method for determining benzene and metabolites in tissues. *J Anal Toxicol* 12:176-179.
- *Bechtold WE, Strunk MR. 1996. S-Phenylcysteine in albumin as benzene biomarker. *Environ Health Perspect* 104 (Suppl 6): 1147-1149.
- *Bechtold WE, Sun JD, Bimbaum LS, et al. 1992a. S-phenylcysteine formation in hemoglobin as a biological exposure index to benzene. *Arch Toxicol* 66(5):303-309.
- *Bechtold WE, Willis JK, Sun JD, et al. 1992b. Biological markers of exposure to benzene: S-phenylcysteine in albumin. *Carcinogenesis* 13(7):1217-1220.
- *Bennett GF. 1987. Air quality aspects of hazardous waste landfills. *Haz Waste Haz Mat* 4:119-138.
- *Berlin M, Gage JC, Gullberg B, et al. 1980. Breath concentration as an index to the health risk from benzene. *Stand J Work Environ Health* 6: 104-111.
- *Black FM, High LE, Lang JM. 1980. Composition of automobile evaporative and tailpipe hydrocarbon emissions. *J Air Pollut Control Assoc* 30:1216-1221.
- *Black H. 1995. Like sugar for poison: glucose as a substitute for benzene [news]. *Environ Health Perspect* 103(6):564-566.
- *Blanchard RD, Hardy JK. 1986. Continuous monitoring device for the collection of 23 volatile organic priority pollutants. *Anal Chem* 58:1529-1532.
- *Blank IH, McAuliffe DJ. 1985. Penetration of benzene through human skin. *J Invest Dermatol* 85:522-526.
- *Bleasdale C, Kennedy G, MacGregor JO, et al. 1996. Chemistry of muconaldehydes of possible relevance to the toxicology of benzene. *Environ Health Perspect* 104 (Suppl 6): 1201-1209.
- *Bloch P, Kulig A, Paradowski M, et al. 1990. The toxicodynamics of benzene, ethanol, and benzene plus ethanol based on the histopathological examination of selected organs in the rat. *Pol J Occup Med* 3(1):69-82.

- *BNA. 1990. California hazardous waste management regulations (California Administrative Code, Title 22, Division 4, Chapter 30). Washington, DC: The Bureau of National Affairs, Inc.
- Bock CW, George P, Greenberg A, et al. 1994. An *ab initio* computational molecular orbital study of the conformers of muconaldehyde, and the possible role of 2-formyl-2h-pyran in bringing about the conversion of a (z,z)-muconaldehyde structure into an (e,z)-muconaldehyde structure. *Chemical Research In Toxicology* 7 (4):534-543.
- *Bock FG, King DW. 1959. A study of the sensitivity of the mouse forestomach toward certain polycyclic hydrocarbons. *J Natl Cancer Inst* 23:833-839.
- *Bodell WJ, Levay G, Pongracz K. 1993. Investigation of benzene-DNA adducts and their detection in human bone marrow. *Environ Health Perspect* 99:241-244.
- *Bodell WY, Pathak DN, Levay G, et al. 1996. Investigation of the DNA adducts formed in B6C3F₁ mice treated with benzene: Implications for molecular dosimetry. *Environ Health Perspect* 104 (Suppl 6):1189-1193.
- *Bois FY, Jackson E, Pekari K. 1996. Population benzene toxicokinetics of benzene in humans. *Environ Health Perspect* 104 (Suppl 6): 1405-1411.
- *Bois FY, Paxman DG. 1992. An analysis of exposure rate effects for benzene using a physiologically based pharmacokinetic model. *Regul Toxicol Pharmacol* 15(2):122-136.
- *Bois FY, Smith MT, Spear RC. 1991a. Mechanisms of benzene carcinogenesis: application of a physiological model of benzene pharmacokinetics and metabolism. *Toxicol Lett* 56(3):283-298.
- *Bois FY, Woodruff TJ, Spear RC. 1991b. Comparison of three physiologically based pharmacokinetic models of benzene disposition. *Toxicol Appl Pharmacol* 110(1):79-88.
- *Bond AE, Thompson VL, Ortman GC, et al. 1986a. Self service station vehicle refueling exposure study. In: *Proceedings of the 1986 EPA/APCA symposium on measurements of toxic air pollutants*. Pittsburgh, PA: Air Pollution Control Association, 458-466.
- *Bond GG, McLaren EA, Baldwin CL, et al. 1986b. An update of mortality among chemical workers exposed to benzene. *Br J Ind Med* 43:685-691.
- *Boogaard PJ, van Sittert NJ. 1995. Biological monitoring of exposure to benzene: a comparison between S-phenylmercapturic acid, trans,trans-muconic acid, and phenol. *Occup Environ Med* 52:611-620.
- *Boogaard PJ, van Sittert NJ. 1996. Suitability of S-phenyl mercapturic acid and *trans,trans*-muconic acid as biomarkers for exposure to low concentrations of benzene. *Environ Health Perspect* 104 (Suppl 6):1151-1157.
- *Bordarier C, Robain O, Ponsot G. 1991. Bilateral porencephalic defect in a newborn after injection of benzol during pregnancy. *Brain Dev* 13(2):126-129.

- *Bradley EB, Frenzel CA. 1970. On the exploitation of laser Raman spectroscopy for the detection and identification of molecular water pollutants. *Water Res* 4:124-128.
- *Bradley MO. 1985. Measurement of DNA single-strand breaks by alkaline elution in rat hepatocytes. *Progress in Mutation Research* 5:353-357.
- *Brass HJ, Feige MA, Halloran T, et al. 1977. The national organic monitoring survey: Samplings and analyses for purgeable organic compounds. In: Pojasek RB, ed. *Drinking water quality enhancement through source protection*. Ann Arbor, MI: Ann Arbor Science Publishers, 393-416.
- *Brett SM, Rodricks JV, Chinchilli VM. 1989. Review and update of leukemia risk potentially associated with occupational exposure to benzene. *Environ Health Perspect* 82:267-281.
- *Brief RS, Lynch J, Bernath T, et al. 1980. Benzene in the workplace. *Am Ind Hyg Assoc J* 41:616-623.
- *Brondeau MT, Ducos P, Gaudin R, et al. 1992. Evaluation of the interaction of benzene and toluene on the urinary excretion of t,t-muconic acid in rats. *Toxicol Lett* 61(2-3):311-316.
- *Bronstein AC, Currance PL. 1988. Emergency care for hazardous materials exposure. Guideline 69. The C.V. Mosby Company. Washington, DC. 221-222.
- *Brown RH. 1988a. Determination of benzene, toluene and xylene in industrial air by charcoal tube, solvent desorption and gas chromatography. In: Fishbein L, O'Neill JK, eds. *Environmental carcinogens method of analysis and exposure measurement: Vol. 10--benzene and alkylated benzene*. New York, NY: Oxford University Press, 225-233.
- *Brown RH. 1988b. Determination of benzene, toluene, and xylene in industrial air by porous polymer adsorption tube, thermal desorption and gas chromatography. In: Fishbein L, O'Neill JK, eds. *Environmental carcinogens method of analysis and exposure measurement: Vol. 10--benzene and alkylated benzene*. New York, NY: Oxford University Press, 235-242.
- *Brown-Woodman PD, Webster WS, Huq F, et al. 1992. Assessment of interactive effects of the aromatic hydrocarbons toluene, xylene, and benzene on rat embryonic development *in vitro*. *Teratology* 45(3):326.
- *Brown-Woodman PD, Webster WS, Picker K, et al. 1994. *In vitro* assessment of individual and interactive effects of aromatic hydrocarbons on embryonic development of the rat. *Reprod Toxicol* 8(2):121-135.
- *Brown-Woodman PD, Webster WS, Ritchie H, et al. 1991. Effect of the aromatic hydrocarbons toluene, xylene and benzene on rat embryonic development *in vitro*. *Teratology* 44(4):479.
- *Brugnone F, Perbellini L, Faccini GB, et al. 1989. Benzene in the blood and breath of normal people and occupationally exposed workers. *Am J Ind Med* 16:385-399.
- *Brugnone F, Perbellini L, Maranelli G, et al. 1992. Reference values for blood benzene in the occupationally unexposed general population. *Int Arch Occup Environ Health* 64(3):179-184.

- *Brunnemann KD, Kagan MR, Cox JE, et al. 1989. Determination of benzene, toluene and 1,3-butadiene in cigarette smoke by GC-MSD. *Exp Pathol* 37:108-113.
- *Brunnemann KD, Kagan MR, Cox JE, et al. 1990. Analysis of 1,3-butadiene and other selected gas-phase components in cigarette mainstream and sidestream smoke by gas chromatography-mass selective detection. *Carcinogenesis* 11: 1863-1868.
- *Bryce-Smith D, Gilbert A. 1976. The organic photochemistry of benzene. I. *Tetrahedron* 32:1309-1326.
- *Buchet JP. 1988. Determination of phenol and its glucurono- and sulfoconjugates in urine by gas chromatography. In: Fishbein L, O'Neill JK, eds. *Environmental carcinogens method of analysis and exposure measurement: Vol. 10--benzene and alkylated benzene*. IARC Scientific Publications No. 85. Lyon, France: World Health Organization, International Agency for Research on Cancer, 281-286.
- *Buckley TJ, Lindstrom AB, Highsmith VR, et al. 1992. The time-course and sensitivity of muconic acid as a biomarker for human environmental exposure to benzene. In: *Proceedings of the 1992 US Environmental Protection Agency / Air and Waste Management Association symposium on measurement of toxic and related air pollutants*. 981-986.
- *Budnick LD, Sokal DC, Falk H, et al. 1984. Cancer and birth defects near the Drake superfund site, Pennsylvania. *Arch Environ Health* 39:409-413.
- *Bull RJ, Robinson M, Laurie RD. 1986. Association of carcinoma yield with early papilloma development in SENCAR mice. *Environ Health Perspect* 68:11-17.
- *Burback BL, Perry JJ. 1993. Biodegradation and biotransformation of groundwater pollutant mixtures by mycobacterium vaccae. *Appl Environ Microbiol* 59(4):1025-1029.
- Burford MD, Hawthorne SB, Miller DJ. 1994. Analysis of volatile organics by supercritical fluid extraction coupled to gas chromatography II. Quantitation of petroleum hydrocarbons from environmental sample. *J Chromatogr A* 685:95-111.
- Burg JA, Gist GL. 1995. The National Exposure Registry: Procedures for establishing a registry of persons environmentally exposed to hazardous substances. *Toxicol Ind Health* 11(2):231-247.
- *Burgess JL, Crutchfield CD. 1995. Tucson fire fighter exposure to products of combustion: a risk assessment. *Applied Occupational And Environmental Hygiene*, Vol. 10, No. 1, January 1995.
- *Burmester DE. 1982. The new pollution-groundwater contamination. *Environ* 24:6-13, 33-36.
- *Byrd GD, Fowler KW, Hicks RD, et al. 1990. Isotope dilution gas chromatography-m&s spectrometry in the determination of benzene, toluene, styrene and acrylonitrile in mainstream cigarette smoke. *J Chromatogr* 503:359-368.
- *C&EN. 1994. Top 50 chemicals production rose modestly last year. *Chemical and Engineering News*. 72(15):12-13.

- *C&EN. 1995. Production soared in most chemical sectors. Chemical and Engineering News. 73(26):38-40.
- *C&EN. 1987. Key chemicals: Benzene. Chemical and Engineering News. February 9, 1987, 65:11.
- *CA. 1993a. California hazardous waste management regulations. 66260, Appendix VIII. Hazardous Constituents.
- *CA. 1993b. California hazardous waste management regulations. 66260.24. Characteristics of Toxicity. Table I. Maximum concentration of contaminants for the toxicity characteristic. Regulatory Level.
- *Cao XL, Hewitt CN. 1991. Evaluation of Tenax-GR adsorbent for the passive sampling of volatile organic compounds at low concentrations. Atmos Environ Part A 27A 1865-1872.
- *Carbonnelle P, Lison D, Leroy JY, et al. 1995. Effect of the benzene metabolite, hydroquinone, on interleukin-1 secretion by human monocytes *in vitro*. Toxicol Appl Pharmacol Jun 1995 132(2):220-226.
- *Carpenter CP, Shaffer CB, Weil CS, et al. 1944. Studies on the inhalation of 1:3-butadiene; with a comparison of its narcotic effect with benzol, toluol, and styrene, and a note on the elimination of styrene by the human. J Ind Hyg Toxicol 26:69-78.
- *Cassidy MK, Houston JB. 1984. *In vivo* capacity of hepatic and extra hepatic enzymes to conjugate phenol. Drug Metab Dispos 12: 619-624.
- *CDC. 1994. Continued use of drinking water wells contaminated with hazardous chemical substances Virgin Islands and Minnesota 1981-1993. Morbid Mortal Weekly Rep 43(5):89-92.
- *CEH. 1983. Centers for Environmental Health. Benzene contamination in well water, Perdido, Alabama. Public Health Service-CDC-Atlanta EPI-82-90-2.
- *CELDS. 1994. Computer-aided environmental legislative data systems. University of Illinois, Urbana, IL. June 28, 1994.
- *CG. 1990. Facilities transferring oil or hazardous material in bulk. U.S. Coast Guard. Code of Federal Regulations. 33 CFR 154.
- *Ghan C-C, Lin S-H, Her G-R. 1993. Student's exposure to volatile organic compounds while commuting by motorcycle and bus in Taipei City. J Air Waste Manage Assoc 43(9):1231-1238.
- *Ghan C-C, Lin S-H, Her G-R. 1994. Office worker's exposure to volatile organic compounds while commuting and working in Taipei city. Atmospheric Environment 28(14):2351-2359.
- *Chancy AM, Carlson GP. 1995. Comparison of pulmonary and hepatic microsomal metabolism of benzene in rats. In: Abstracts of the 34th annual meeting. The Toxicologist 15(1):263-264.

8. REFERENCES

- *Chang M-K, Voice TC, Criddle CS. 1993. Kinetics of competitive inhibition and cometabolism in the biodegradation of benzene, toluene, and p-xylene by two *Pseudomonas* isolates. *Biotechnol Bioeng* 41(11):1057-1065.
- *Chang RL, Wong CQ, Kline SA, et al. 1994. Mutagenicity of trans, trans-muconaldehyde and its metabolites in V79 cells. *Environmental and Molecular Mutagenesis* 24: 112-115.
- *Chao TC, Lo DST, Koh J, et al. 1993. Glue sniffing deaths in Singapore-volatile aromatic hydrocarbons in post-mortem blood by headspace gas chromatography. *Med Sci Law* 33(3):253-260.
- *Chapman DE, Namkung MJ, Juchau MR. 1994. Benzene and benzene metabolites as embryotoxic agents: effects on cultured rat embryos. *Toxicol Appl Pharmacol* 128 (1):129-137.
- *Chen H, Rupa DS, Tomar RR, et al. 1994. Chromosomal loss and breakage in mouse bone marrow and spleen cells exposed to benzene *in vivo*. *Cancer Research* 54:3533-3539.
- *Chen H, Eastmond DA. 1995. Topoisomerase inhibition by phenolic metabolites: A potential mechanism for benzene's clastogenic effects. *Carcinogenesis* 16(10):2301-2307.
- *Chenna A, Hang B, Rydberg B, et al. 1995. The benzene metabolite p-benzoquinone forms adducts with dna bases that are excised by a repair activity from human cells that differs from an ethenoadenine glycosylase. *Proc Natl Acad Sci U S A* 92(13):5890-5894.
- *Chepiga TA, Yang CS, Snyder R. 1990. Benzene metabolism by two purified, reconstituted rat hepatic mixed function oxidase systems. *Adv Exp Med Biol* 283:261-265.
- *Chertkov JL, Lutton JD, Jiang S, et al. 1992. Hematopoietic effects of benzene inhalation assessed by murine long-term bone marrow culture. *J Lab Clin Med* 119:412-419.
- *Chiang CY, Salanitro JP, Chai EY, et al. 1989. Aerobic biodegradation of benzene, toluene, and xylene in a sandy aquifer-data analysis and computer modeling. *Ground Water* 27:823-834.
- *Choy WN, MacGregor JT, Shelby MD, et al. 1985. Induction of micronuclei by benzene in B6C3F₁ mice: Retrospective analysis of peripheral blood smears from the NTP carcinogenesis bioassay. *Mutat Res* 143:55-59.
- *Ciccone G, Mirabelli D, Levis A, et al. 1993. Myeloid leukemias and myelodysplastic syndromes: chemical exposure, histologic subtype and cytogenetics in a case-control study. *Cancer Genet Cytogenet* 68(2):135-139.
- *Ciranni R, Barale R, Adler ID. 1991. Dose-related clastogenic effects induced by benzene in bone marrow cells and in differentiating spermatogonia of Swiss CD1 mice. *Mutagenesis* 6(5):417-421.
- *Ciranni R, Barale R, Marrazzini A, et al. 1988. Benzene and the genotoxicity of its metabolites I. Transplacental activity in mouse fetuses and in their dams. *Mutat Res* 208:61-67.
- *Clark AI, McIntyre AE, Lester JN, et al. 1984. A comparison of photoionisation detection gas chromatography with a Tenax GC sampling tube procedure for the measurement of aromatic hydrocarbons in ambient air. *J Environ Anal Chem* 17:315-326.

- *Clark SC, Kamen R. 1987. The human hematopoietic colony-stimulating factors. *Science* 236:1229-1237.
- *Clewell HJ III, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1 (4):111-131.
- *Cline PV, Viste DR. 1985. Migration and degradation patterns of volatile organic compounds. *Waste Management and Research* 3:351-360.
- *Coate WB, Hoberman AM, Durloo RS. 1984. Inhalation teratology study of benzene in rats. *Adv Mod Environ Toxicol* 6:187-198.
- *Cody RP, Strawderman WW, Kipen HM. 1993. Hematologic effects of benzene. Job-specific trends during the first year of employment among a cohort of benzene-exposed rubber workers. *J Occup Med* 35(8):776-782.
- *Cohen MA, Ryan PB, Yanagisawa Y, et al. 1989. Indoor/outdoor measurements of volatile organic compounds in Kanawha Valley of West Virginia. *J Air Pollut Control Assoc* 39:1086-1093.
- *Colenutt BA, Davies DN. 1980. The sampling and gas chromatographic analysis of organic vapours in landfill sites. *Int J Environ Anal Chem* 7:223-229.
- *Colenutt BA, Thorburn S. 1980. Gas chromatographic analysis of trace hydrocarbon pollutants in water samples. *Int J Environ Stud* 15:25-32.
- *Colinas R J, Burkart P T, Lawrence D A. 1995. The effects of interleukin-1-beta and tumor necrosis factor-alpha on *in vitro* colony formation by human hematopoietic progenitor cells exposed to doxorubicin or hydroquinone. *Experimental Hematology (Charlottesville)* 23(12): 1247-1255.
- *Collins JJ, Conner P, Friedlander BR, et al. 1991. A study of the hematologic effects of chronic low-level exposure to benzene. *J Occup Med* 33(5):619-626.
- *Cornish HH, Ryan RC. 1965. Metabolism of benzene in nonfasted, fasted, and aryl-hydroxylase inhibited rats. *Toxicol Appl Pharmacol* 7:767-771.
- *Cox LA Jr. 1991. Biological basis of chemical carcinogenesis: insights from benzene. *Risk Anal* 11(3):453-464.
- *Cox LA Jr. 1996. Reassessing benzene risks using internal doses and Monte-Carlo uncertainty analysis. *Environ Health Perspect* 104 (Suppl 6): 1413-1429.
- *Cox LA Jr., Ricci PF. 1992. Reassessing benzene cancer risks using internal doses. *Risk Anal* 12(3):401-410.
- *Crawford DW, Bonnevie NL, Wenning RJ. 1995. Sources of pollution and sediment contamination in Newark Bay, New Jersey. *Ecotoxicol Environ Safety* 30:85-100.

- *Crebelli R, Bellincampi D, Conti G, et al. 1986. A comparative study on selected chemical carcinogens for chromosome malsegregation, mitotic crossing-over and forward mutation induction in *Aspergillus nidulans*. *Mutat Res* 172:139-149.
- *CRISP. 1996. Computer Retrieval of Information on Scientific Projects. National Library of Medicine, Toxicology Information Program, Bethesda, MD. March 1996.
- *Cronin HJ. 1924. Benz01 poisoning in the rubber industry. *Boston Medical and Science Journal* 191:1164-1166.
- *Cronkite EP. 1986. Benzene hematotoxicity and leukemogenesis. *Blood Cells* 12:129-137.
- *Cronkite EP, Bullis JE, Inoue T, et al. 1984. Benzene inhalation produces leukemia in mice. *Toxicol Appl Pharmacol* 75:358-361.
- *Cronkite EP, Drew RT, Inoue T, et al. 1985. Benzene hematotoxicity and leukemogenesis. *Am J Ind Med* 7:447-456.
- *Cronkite EP, Drew RT, Inoue T, et al. 1989. Hematotoxicity and carcinogenicity of inhaled benzene. *Environ Health Perspect* 82:97-108.
- *Cronkite EP, Inoue T, Carsten AL, et al. 1982. Effects of benzene inhalation on murine pluripotent stem cells. *J Toxicol Environ Health* 9:411-421.
- *Crump KS. 1994. Risk of benzene-induced leukemia: a sensitivity analysis of the pliofilm cohort with additional follow-up and new exposure estimates. *J Toxicol Environ Health* 42(2):219-242.
- *Crump KS. 1996. Risk of benzene-induced leukemia predicted from the pliofilm cohort. *Environmental Health Perspect* 104 (Suppl 6):1437-1441.
- *Crump KS, Allen BC, Clewell H. 1993. Limitations to benzene cancer risk assessment by Cox and Ricci [letter]. *Risk Anal* 13(2):145-146.
- *Daiker DH, Moslen MT, Ward JB. 1995. Effects of chronic, low dose benzene on liver enzymes involved in benzene metabolism. *Fund Appl Toxicol Suppl. The Toxicologist* 15(1):261.
- Daisey JM, Hodgson AT, Fisk WJ, et al. 1994. Volatile organic compounds in twelve California office buildings: classes, concentrations and sources. *Atmospheric Environ* 28(22):3557-3562.
- Davidson KA, Faust RA. 1996. Oral carcinogen potency factors for benzene and some of its metabolites. *Fund Appl Toxicol Suppl. The Toxicologist* 30(1):114.
- *Davies EM, Murray HE, Liehr JG, et al. 1981. Technical note: Basic microbial degradation rates and chemical byproducts of selected organic compounds. *Water Res* 15: 1125-1127.
- Davis JW, Klier NK, Carpenter CL. 1994. Natural biological attenuation of benzene in ground water beneath a manufacturing facility. *Ground Water* 32(2):215-226.

- *Dayal H, Gupta S, Trieff N, et al. 1995. Symptom clusters in a community with chronic exposure to chemicals in two superfund sites. *Archives Of Environmental Health* 50 (2):108-111.
- *Dees C, Travis C. 1994. Hyperphosphorylation of ~53 induced by benzene, toluene, and chloroform. *Cancer Lett* 84(2): 117- 123.
- *De Flora S, Zanacchi P, Camoirano A, et al. 1984. Genotoxic activity and potency for 135 compounds in the Ames reversion test and in a bacterial DNA-repair test. *Mutat Res* 133:161-198.
- de Gandarias JM, Casis O, Irazusta J, et al. 1992. Effect of subacute benzene exposure on the activity of two neuropeptide-degrading enzymes in the rat brain. *Arch Environ Contam Toxicol* 22(3):345-348.
- *DeLeon IR, Antoine SR. 1985. Clinical screening test for toxic volatile organic chemicals in blood. *Clinical Ecology* 3:108-109.
- *Delfino JJ, Miles CJ. 1985. Aerobic and anaerobic degradation of organic contaminants in Florida groundwater. *Proceedings Soil and Crop Science Society of Florida* 44:9-14.
- *Demirgian J. 1992. Continuous emission monitor for incinerators. *Govt Reports Announcements & Index (GRA&I)*, Issue 23, 1992.
- *Dempster AM, Evans HL, Snyder CA. 1984. The temporal relationship between behavioral and hematological effects of inhaled benzene. *Toxicol Appl Pharmacol* 76: 195-203.
- *Dempster AM, Snyder CA. 1990. Short term benzene exposure provides a growth advantage for granulopoietic progenitor cells over erythroid progenitor cells. *Arch Toxicol* 64(7):539-544.
- *Dempster AM, Snyder CA. 1991. Kinetics of granulocytic and erythroid progenitor cells are affected differently by short-term, low-level benzene exposure. *Arch Toxicol* 65(7):556-561.
- *Diaz M, Reiser A, Braier L, et al. 1980. Studies on benzene mutagenesis: I. The micronucleus test. *Experientia* 36:297-299.
- *Dibben MJ, Thomas TC, Anderson MP. 1989. Is benzene a problem in fuel operations? A new analytical method to overcome potential interferences in the present method. *LC-GC International* 2:54-58.
- *Ding X-J, Li Y, Ding Y, et al. 1983. Chromosome changes in patients with chronic benzene poisoning. *Chinese Med J (Peking Engl Ed)* 96:681-685.
- *Dar F, Le Moullec Y, Festy B. 1995. Exposure of city residents to carbon monoxide and monocyclic aromatic hydrocarbons during commuting trips in the paris metropolitan area. *Journal Of The Air And Waste Management Association* 45(2):103-110.
- *Dosemeci M, Li GL, Hayes RB, et al. 1994. Cohort study among workers exposed to benzene in china: ii. exposure assessment. *Am J Ind Med* 26(3):401-411.

- *Doskin VA. 1971. [Effect of age on the reaction to a combination of hydrocarbons.] Hyg Sanit 36:379-384. (Russian)
- *DOT. 1990. Hazardous materials table. U. S. Department of Transportation. Code of Federal Regulations. 49 CFR 172.101.
- *Douglas GR, Blakey DH, Liu-Lee VW, et al. 1985. Alkaline sucrose sedimentation, sister-chromatid exchange and micronucleus assays in CHO cells. Progress in Mutation Research 5:359-366.
- *Dow. 1980. Initial submission: Risks of long-term health effects of benzene absorbed via skin in laboratory animals with cover letter dated 01/20/92. EPA/OTS Dot #88-920000700.
- *Dow. 1992. Initial submission: Effects of benzene vapor in the pig and rat pertaining to hematology and immunology with cover letter dated 05/14/92. EPA/OTS Dot #88-920003196.
- *Dowty BJ, Carlisle DR, Laseter JL. 1975. New Orleans drinking water sources tested by gas chromatography-mass spectrometry. Environ Sci Technol 9:762-765.
- *Dowty BJ, Laseter JL, Storer J. 1976. The transplacental migration and accumulation in blood of volatile organic constituents. Pediatr Res 10:696-701.
- *Dragan YP, Sargent L, Xu YD, et al. 1993. The initiation-promotion-progression model of rat hepatocarcinogenesis. Proc Soc Exp Biol Med 202(1):16-24.
- *Drew RT, Fouts JR. 1974. The lack of effects of pretreatment with phenobarbital and chlorpromazine on the acute toxicity of benzene in rats. Toxicol Appl Pharmacol 27: 183- 193
- *Drummond L, Luck R, Afacan AS, et al. 1988. Biological monitoring of workers exposed to benzene in the coke oven industry. Br J Ind Med 45:256-261.
- *Ducos P, Gaudin R, Bel J, et al. 1992. *trans,trans*-Muconic acid, a reliable biological indicator for the detection of individual benzene exposure down to the ppm level. Int Arch Occup Environ Health 64(5):309-313.
- *Ducos P, Gaudin R, Robert A, et al. 1990. Improvement in HPLC analysis of urinary *trans, trans*-muconic acid, a promising substitute for phenol in the assessment of benzene exposure. Int Arch Occup Environ Health 62:(7):529-534.
- *Eastmond DA. 1993. Induction of micronuclei and aneuploidy by the quinone-forming agents benzene and *o*-phenylphenol. Toxicol Lett 67(1-3):105-118.
- *Eastmond DA, Rupa DS, Hasegawa LS. 1994. Detection of hyperdiploidy and chromosome breakage in interphase human lymphocytes following exposure to the benzene metabolite hydroquinone using multicolor fluorescence *in situ* hybridization with dna probes. Mutat Res 322(1):9-20.
- *Eastmond DA, Smith MT, Irons RD. 1987. An interaction of benzene metabolites reproduces the myelotoxicity observed with benzene exposure. Toxicol Appl Pharmacol 91:85-95.

- *Eastmond DA, Smith MT, Ruzo LO, et al. 1986. Metabolic activation of phenol by human myeloperoxidase and horseradish peroxidase. *Molecular Pharmacol* 30(6):674-679.
- *Edgerton SA, Shah JJ. 1992. Assessing total exposures to gasoline vapor using the source exposure model. *J Exposure Anal Environ Epidemiol* 2(1):109-115.
- *Edwards EA, GrbiC-GaliE D. 1992. Complete mineralization of benzene by aquifer microorganisms under strictly anaerobic conditions. *Appl Environ Microbial* 58(8):2663-2666.
- *Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. *Environ Sci Technol* 15:30-38.
- *Ellenhorn MJ, Barceloux DG. 1988. Medical toxicology: diagnosis and treatment of human poisoning. New York, NY: Elsevier. 947-950.
- EPA. 1972. Approval and promulgation of implementation plans. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 FR Part 52.
- *EPA. 1977a. List of pollutants and applicability of part 61. National emission standards for hazardous air pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 61.01.
- *EPA. 1977b. Limits established for specific wastes or waste constituents. Criteria for the evaluation of permit applications for ocean dumping of materials. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 227.7.
- *EPA. 1978a. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4.
- *EPA. 1978b. Assessment of human exposure to atmospheric benzene. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air and Waste Management, Office of Air Quality Planning and Standards. EPA 450/378-031.
- *EPA. 1979a. Environmental monitoring benzene. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA 560/679/006.
- *EPA. 1979b. Toxic pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 401.15.
- *EPA. 1980a. Ambient air monitoring for benzene: 24-hr integrated sampling in six cities. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Environmental Monitoring Systems Laboratory. EPA 600/4-80-027.
- EPA. 1980b. Ambient water quality criteria. U. S. Environmental Protection Agency. Federal Register. 45 FR 79318.
- *EPA. 1980c. Discarded commercial chemical products, off-specification species, container residues, and spill residues thereof. Identification and listing of hazardous waste. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.33(f).

- *EPA. 1981a. General definitions. Electroplating point source category. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 413.02.
- *EPA. 1981b. Hazardous wastes from non-specific sources. Identification and listing of hazardous waste. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.31.
- *EPA. 1981c. Hazardous wastes from specific sources. Identification and listing of hazardous waste. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.32.
- *EPA. 1981d. Basis for listing hazardous waste. Identification and listing of hazardous waste. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR Part 261, Appendix VII.
- *EPA. 1982a. General definitions. Iron and steel manufacturing point source category. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 420.02.
- *EPA. 1982b. Effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically available. By-product cokemaking - iron and steel. Iron and steel manufacturing point source category. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 420.13(b).
- EPA. 1982c. New source performance standards. By-product cokemaking - iron and steel. Iron and steel manufacturing point source category. U. S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 420.14(a).
- *EPA. 1982d. 126 Priority pollutants. Steam electric power generating point source category. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR Part 423, Appendix A.
- *EPA. 1982e. An exposure and risk assessment for benzene. Washington, DC: U.S. Environmental Protection Agency. EPA-440/4-85006, PB 85-212017, 3-1 - 3-32.
- *EPA. 1982f. U.S. EPA management of hazardous waste leachate EPA contract No. 68-03-2766. E-42, E-96, E-111, E-142, E-143. (as cited in HSDB 1996).
- *EPA. 1983a. List of chemicals produced by affected facilities. Standards of performance for new stationary sources. U.S. Environmental Protection Agency. Subpart VV - Standards of Performance for Equipment Leaks of VOC in the Synthetic Organic Chemical Manufacturing Industry (SOCMI) Industry. Code of Federal Regulations. 40 CFR 60.489.
- *EPA. 1983b. Specialized definitions. Metal finishing point source category. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 433.11.
- *EPA. 1983c. Specialized definitions. Copper forming point source category. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 468.02.
- *EPA. 1984a. Applicability and designation of sources. National emission standards for hazardous air pollutants. U.S. Environmental Protection Agency. Subpart J - National Emission Standard for Equipment Leaks (Fugitive Emission Sources) of Benzene. Code of Federal Regulations. 40 CFR 61.110-112.

- *EPA. 1984b. Definitions. National emission standards for hazardous air pollutants. U.S. Environmental Protection Agency. Subpart V - National Emission Standard for Equipment Leaks (Fugitive Emission Sources). Code of Federal Regulations. 40 CFR 61.240-61.242.
- *EPA. 1984c. Form 2C - Application for Permit to Discharge Wastewater. Criteria and Standards for the National Pollutant Discharge Elimination System. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR Part 125.
- *EPA. 1984d. Method 1625 Revision B - Semivolatile organic compounds by isotope dilution GC/M5. Methods for organic chemical analysis of municipal and industrial wastewater. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 136, Appendix A.
- *EPA. 1984e. Wastes Excluded Under 260.20 and 260.22. Identification and Listing of Hazardous Waste. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR Part 261, Appendix IX.
- *EPA. 1984f. Guidelines for establishing test procedures for the analysis of pollutants under the Clean Water Act. U.S. Environmental Protection Agency. Federal Register 49:43234, 43255-43256, 432272-43280, 43373-43384, 43407-43415.
- *EPA. 1985a. Lists of pollutants and applicability of part 61. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 61.01.
- *EPA. 1985b. Determination of reportable quantities. Determination of reportable quantities for hazardous substances. U.S. Environmental Protection Agency. Subpart A - General Provisions. Code of Federal Regulations. 40 CFR 117.3.
- *EPA. 1985c. Specialized definitions. Metal molding and casting point source category. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 464.11.
- *EPA. 1985d. Boiling point/boiling range. Chemical fate testing guidelines. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 796.1220.
- *EPA. 1985e. Partition coefficient (n-Octano/water) - Estimation by Liquid Chromatography. Chemical Fate Testing Guidelines. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 796.1570.
- *EPA. 1985f. Maximum contaminant level goals for organic contaminants. National primary drinking water regulations. U.S. Environmental Protection Agency. Subpart F - Maximum Contaminant Level Goals. Code of Federal Regulations. 40 CFR 141.50.
- *EPA. 1985g. Drinking water criteria document on benzene. Final draft. Washington;DC: U.S. Environmental Protection Agency, Office of Drinking Water. PB86-118122.
- *EPA. 1985h. Exemptions from tolerances. U.S. Environmental Protection Agency Code of Federal Regulations. 40 CFR 180.1001.

- *EPA. 1986a. 65 Toxic Pollutants. General Pretreatment Regulations for Existing and New Sources of Pollution. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR Part 403, Appendix B.
- *EPA. 1986b. Identification of Wastes to be Evaluated by August 8, 1988. Land Disposal Restrictions. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.10.
- *EPA. 1987a. Toxic Pollutant Effluent Limitations and Standards for Direct Discharge Point Sources That Use End-Of-Pipe Biological Treatment. Organic Chemicals, Plastics, and Synthetic Fibers. Subpart I - Direct Discharge Point Sources That Use End-of-Pipe Biological Treatment. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.91.
- *EPA. 1987b. Non-Complexed Metal-Bearing Waste Streams and Cyanide-Bearing Waste Streams (Zinc). Organic Chemicals, Plastics, and Synthetic Fibers. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR Part 414, Appendix A.
- *EPA. 1987c. Ground-Water Monitoring List. Standards for Owners and Operators of Hazardous Waste Treatment, Storage, and Disposal Facilities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR Part 264, Appendix IX.
- *EPA. 1987d. Public Notification. National Primary Drinking Water Regulations. U.S. Environmental Protection Agency. Subpart D - Reporting, Public Notification, and Recordkeeping. Code of Federal Regulations. 40 CFR 141.32.
- *EPA. 1987e. June-September, 6-9 AM, ambient air benzene concentrations in 39 U.S. cities, 1984-1986. Research Triangle Park, NC: U.S. Environmental Protection Agency, Atmospheric Sciences Research Lab. EPA/600/D-87/160.
- *EPA. 1988a. Waste Specific Prohibitions - Solvent Wastes. Hazardous Waste Injection Restrictions. U.S. Environmental Protection Agency. Subpart B - Prohibitions on Injection. Code of Federal Regulations. 40 CFR 148.10.
- *EPA. 1988b. Hazardous Constituents. Identification and Listing of Hazardous Waste. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR Part 261, Appendix VIII.
- *EPA. 1988c. Chemicals and Chemical Categories To Which This Part Applies. Toxic Chemical Release Reporting: Community Right-To-Know. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65.
- *EPA. 1988d. State Water Quality Standards Summaries. U.S. Environmental Protection Agency. Office of Water Regulations and Standards.
- *EPA. 1988e. Recommendations for and documentation of biological values for use in risk assessment. Environmental Criteria and Assessment Office, Office of Health and Environmental Assessment, Environmental Protection Agency, Cincinnati, OH. NTIS No. PB88-179874.
- EPA. 1988f. Compendium of methods for the determination of toxic organic compounds in ambient air. EPA 600/4-89/017.

8. REFERENCES

- *EPA. 19888. Thresholds for Reporting. Toxic Chemical Release Reporting: Community Right-To-Know. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.25.
- *EPA. 1989a. Definitions. National Emission Standards for Hazardous Air Pollutants. U.S. Environmental Protection Agency. Subpart L - National Emission Standard for Benzene Emissions from Coke By-Product Recovery Plants. Code of Federal Regulations. 40 CFR 61.131-40 CFR 61.137.
- *EPA. 1989b. Applicability and Designation of Sources. National Emission Standards for Hazardous Air Pollutants. U.S. Environmental Protection Agency. Subpart Y - National Emission Standard for Benzene Emissions from Benzene Storage Vessels. Code of Federal Regulations. 40 CFR 61.270-61.273.
- *EPA. 1989c. Designation of Hazardous Substances. Designation, Reportable Quantities, and Notification. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.
- EPA 1989d. National Emission Standards for Hazardous Air Pollutants; Benzene Emissions from Maleic Anhydride Plants, Ethylbenzene/Styrene Plants, Benzene Storage Vessels, Benzene Equipment Leaks, and Coke By-Products Recovery Plants. U.S. Environmental Protection Agency. 54 FR 38044.
- *EPA. 1990a. Chemicals Affected by Subpart NNN. Standards of Performance for New Stationary Sources. U.S. Environmental Protection Agency. Subpart NNN - Standards of Performance for Volatile Organic Compound Emissions from Synthetic Organic Chemical Manufacturing Industry (SOCMI) Distillation Operations. Code of Federal Regulations. 40 CFR 60.667.
- *EPA. 1990b. Applicability. National Emission Standards for Hazardous Air Pollutants. U.S. Environmental Protection Agency. Subpart BB - National Emission Standard for Benzene Emissions from Benzene Transfer Operations. Code of Federal Regulations. 40 CFR 61.300-61.304.
- *EPA. 1990c. Applicability. National emission standards for hazardous air pollutants. U.S. Environmental Protection Agency. Subpart FF - National Emission Standard for Benzene Waste Operations. Code of Federal Regulations. 40 CFR 61.340-353
- *EPA. 1990d. Toxicity Characteristic. Identification and Listing of Hazardous Waste. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.24.
- *EPA. 1990e. Applicability. Standards for Owners and Operators of Hazardous Waste Treatment, Storage, and Disposal Facilities. U.S. Environmental Protection Agency. Subpart AA - Air Emission Standards for Process Vents. Code of Federal Regulations. 40 CFR 264.1030.
- *EPA. 1990f. Applicability. Standards for Owners and Operators of Hazardous Waste Treatment, Storage, and Disposal Facilities. U.S. Environmental Protection Agency. Subpart BB - Air Emission Standards for Equipment Leaks. Code of Federal Regulations. 40 CFR 264.1050.
- *EPA. 1990g. Waste Specific Prohibitions - Third Wastes. Land Disposal Restrictions. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.35.

- *EPA. 1990h. Interim methods for development of inhalation reference concentrations. Office of Research and Development. U. S. Environmental Protection Agency. EPA 600 8-90/066A.
- *EPA. 1991a. Maximum Contaminant Levels for Organic Contaminants. National Primary Drinking Water Regulations. U.S. Environmental Protection Agency. Subpart G - National Revised Primary Drinking Water Regulations: Maximum Contaminant Levels. Code of Federal Regulations. 40 CFR 141.61.
- *EPA. 1991b. BAT for Organic Contaminants Listed in 141.61. National Primary Drinking Water Regulations. U.S. Environmental Protection Agency. Subpart G - National Revised Primary Drinking Water Regulations: Maximum Contaminant Levels. Code of Federal Regulations. 40 CFR 141.61.
- *EPA. 1991c. Variances and Exemptions from the Maximum Contaminant Levels for Synthetic Organic Chemicals and Exemptions from the Treatment Technique for Lead and Copper. National Primary Drinking Water Regulations Implementation. U.S. Environmental Protection Agency. Subpart G - Identification of Best Technology, Treatment Techniques or Other Means Generally Available. Code of Federal Regulations. 40 CFR 142.62.
- *EPA. 1991d. Maximum Contaminant Levels. Criteria for Classification of Solid Waste Disposal Facilities and Practices. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 257, Appendix I.
- *EPA. 1991e. Design Criteria. Criteria for Municipal Solid Waste Landfills. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 258.40.
- *EPA. 1991f. Constituents for Detection Monitoring. Criteria for Municipal Solid Waste Landfills. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 258, Appendix I.
- *EPA. 1991g. List of Hazardous Inorganic and Organic Constituents. Criteria for Municipal Solid Waste Landfills. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 258, Appendix II.
- *EPA. 1991h. Health-Based Limits for Exclusion of Waste-Derived Residues. Standards for the Management of Specific Hazardous Wastes and Specific Types of Hazardous Waste Management Facilities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR Part 266, Appendix VII.
- *EPA. 1991i. Potential PICs for Determination of Exclusion of Waste-Derived Residues. Standards for the Management of Specific Hazardous Wastes and Specific Types of Hazardous Waste Management Facilities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR Part 266, Appendix VIII.
- *EPA. 1991j. Effective Dates of Surface Disposed Wastes (Non-Soil and Debris) Regulated in the LDRs - Comprehensive List. Land Disposal Restrictions. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268, Appendix VII.
- EPA. 1991k. National emission standard for benzene emissions from coke by products recovery plants. Provisions for alternative means for process vessels, storage tanks, and tar-intercepting sumps. U. S. Environmental Protection Agency. CFR 61.139.

*EPA. 1992a. Demonstration of Early Reduction, Table 1. National Emission Standards for Hazardous Air Pollutants for Source Categories. U.S. Environmental Protection Agency. Subpart D - Regulations Governing Compliance Extensions for Early Reductions of Hazardous Air Pollutants. Code of Federal Regulations. 40 CFR 63.74.

EPA. 1992b. Methods for the determination of organic compounds in drinking water, Supplement II. Environmental Monitoring Systems Laboratory. 600/R-92/129.

*EPA. 1993a. Chemicals affected by Subpart RRR. Standards of Performance for New Stationary Sources. U.S. Environmental Protection Agency. Subpart RRR - Standards of Performance for Volatile Organic Compound (VOC) Emissions from the Synthetic Organic Chemical Manufacturing Industry Reactor Processes. Code of Federal Regulations. 40 CFR 60.707.

*EPA. 1993b. Alternative standards for Coke Oven doors equipped with sheds. National Emission Standards for Hazardous Air Pollutants for Source Categories. U.S. Environmental Protection Agency. Subpart L - National Emission Standards for Coke Oven Batteries. Code of Federal Regulations. 40 CFR 63.305.

*EPA. 1993c. Regulation of fuel and fuel additives. U.S. Environmental Protection Agency. Renewable Oxygenate Requirements for Reformulated Gasoline: Proposed Rule. 58 FR 68343.

*EPA. 1993d. Pretreatment standards for existing sources. Organic chemicals, plastics, and synthetic fibers. Subpart C - Other Fibers. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.35

*EPA. 1993e. Pretreatment standards for existing sources. Organic Chemicals, Plastics, and Synthetic Fibers. Subpart D - Thermoplastic Resins. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.45.

*EPA. 1993f. Pretreatment standards for existing sources. Organic chemicals, plastics, and synthetic fibers. Subpart F - Commodity Organic Chemicals. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.65.

*EPA. 1993g. Toxic pollutant effluent limitations and standards for direct discharge point sources that do not use end-of-pipe treatment. Organic chemicals, plastics, and synthetic fibers. Subpart J - direct discharge point sources that do not use end-of-pipe biological treatment. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.101.

*EPA. 1993h. Toxic Pollutant Standards for Indirect Discharge Point Sources. Organic Chemicals, Plastics, and Synthetic Fibers. Subpart K - Indirect Discharge Point Sources. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.111.

*EPA. 1993i. Water Quality Guidance for the Great Lakes System: Proposed Rule. U.S. Environmental Protection Agency. 58 FR 20802.

*EPA. 1993j. Superfund record of decision: Rhinehart Tire fire dump. NTIS PB 93-9639211GAR

*EPA. 1993k. Standards for Reformulated Gasoline: U.S. Environmental Protection Agency. 58 FR 11722.

*EPA. 1993l. Identification and Listing of Hazardous Waste, Exemption of Petroleum Contaminated Media and Debris. U.S. Environmental Protection Agency. 58 FR 8504.

*EPA. 1994a. National Emission Standards for Hazardous Air Pollutants for Source Categories. U.S. Environmental Protection Agency. Subpart A - General Provisions. Code of Federal Regulations. 40 CFR 63.1. Applicability.

*EPA. 1994b. Applicability. National Emission Standards for Hazardous Air Pollutants for Source Categories. U.S. Environmental Protection Agency. Subpart B - Requirements for Control Technology Determinations for Major Sources in Accordance with Clean Air Act Sections 112(g) and 112(i). Code of Federal Regulations. 40 CFR 63.51.

*EPA. 1994c. Applicability and Designation of Source, Table 1. National Emission Standards for Hazardous Air Pollutants for Source Categories. U.S. Environmental Protection Agency. Subpart F - National Emission Standards for Organic Hazardous Air Pollutants from the Synthetic Organic Chemical Manufacturing Industry. Code of Federal Regulations. 40 CFR 63.100

*EPA. 1994d. Applicability and Designation of Source, Table 2. National Emission Standards for Hazardous Air Pollutants for Source Categories. U.S. Environmental Protection Agency. Subpart F - National Emission Standards for Organic Hazardous Air Pollutants from the Synthetic Organic Chemical Manufacturing Industry. Code of Federal Regulations. 40 CFR 63.100

*EPA. 1994e. Applicability. National Emission Standards for Hazardous Air Pollutants for Source Categories. U.S. Environmental Protection Agency. Subpart G - National Emission Standards for Organic Hazardous Air Pollutants from the Synthetic Organic Chemical Manufacturing Industry for Process Vents, Storage Vessels, Transfer Operations, and Wastewater. Code of Federal Regulations. 40 CFR 63.110

*EPA. 1994f. National Emission Standards for Hazardous Air Pollutants for Source Categories. U.S. Environmental Protection Agency. Subpart G - National Emission Standards for Organic Hazardous Air Pollutants from the Synthetic Organic Chemical Manufacturing Industry for Process Vents, Storage Vessels, Transfer Operations, and Wastewater, Tables 8 and 9. 40 CFR 63, Appendix to Subpart G.

*EPA. 1994g. Applicability and Designation of Source. National Emission Standards for Hazardous Air Pollutants for Source Categories. U.S. Environmental Protection Agency. Subpart H - National Emission Standards for Organic Hazardous Pollutants for Equipment Leaks. Code of Federal Regulations. 40 CFR 63.160.

*EPA. 1994h. National Emission Standards for Hazardous Air Pollutants for Source Categories. U.S. Environmental Protection Agency. Subpart R - National Emission Standards for Stage I Gasoline Distribution Facilities. 59 FR 64303.

*EPA. 1994i. Standards for Reformulated Gasoline. Regulation of Fuels and Fuel Additives. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR Part 80, Subpart D.

*EPA. 1994j. Regulation of Fuels and Fuel Additives. U.S. Environmental Protection Agency. 40 CFR Part 80, Subpart D. Standards for Reformulated and Conventional Gasoline. Direct Final Rule. Federal Regulations. 59 FR 36944.

*EPA. 1994k. National Emission Standards for Hazardous Air Pollutants for Source Categories. U.S. Environmental Protection Agency. Subpart D - Regulations Governing Constructed, Reconstructed or Modified Major Sources: Proposed Rule. 59 FR 51913.

*EPA. 1994l. National Emission Standards for Hazardous Air Pollutants for Source Categories. U.S. Environmental Protection Agency. National Emission Standards for Petroleum Refineries: Proposed Rule. 59 FR 36130.

*EPA. 1994m. National Emission Standards for Hazardous Air Pollutants for Source Categories. U.S. Environmental Protection Agency. National Emission Standards for Off-Site Waste and Recovery Operations: Proposed Rule. 59 FR 66336.

*EPA. 1994n. Control of Air Pollution. U.S. Environmental Protection Agency. Emission Standards for New Nonroad Spark-ignition Engines at or Below 19 Kilowatts: Proposed Rule. 59 FR 55930.

*EPA. 1994o. Standards for Owners and Operators of Hazardous Waste Treatment, Storage, and Disposal Facilities. U.S. Environmental Protection Agency. Subpart CC - Organic Air Emission Standards for Tanks, Surface Impoundments, and Containers. 59 FR 62896.

*EPA. 1994p. Interim Status Standards for Owners and Operators of Hazardous Waste Treatment, Storage, and Disposal Facilities. U.S. Environmental Protection Agency. Subpart CC - Organic Air Emission Standards for Tanks, Surface Impoundments, and Containers. 59 FR 62896.

*EPA. 1994q. Applicability of Treatment Standards. Land Disposal Restrictions Phase II - Universal Treatment Standards and Treatment Standards for Organic Toxicity Characteristic Wastes and Newly Listed Wastes. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.40.

*EPA. 1994r. Treatment Standards Expressed as Specified Technologies. Land Disposal Restrictions Phase II - Universal Treatment Standards and Treatment Standards for Organic Toxicity Characteristic Wastes and Newly Listed Wastes. U.S. Environmental Protection Agency. 59 FR 47982. Code of Federal Regulations. 40 CFR 268.42.

*EPA. 1994s. Land Disposal Restrictions Phase II - Universal Treatment Standards and Treatment Standards for Organic Toxicity Characteristic Wastes and Newly Listed Wastes. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.43. Treatment Standards Expressed as Waste Concentrations. Federal Regulations. 59 FR 47982.

*EPA. 1994t. Universal Treatment Standards. Land Disposal Restrictions Phase II - Universal Treatment Standards and Treatment Standards for Organic Toxicity Characteristic Wastes and Newly Listed Wastes. U.S. Environmental Protection Agency. 59 FR 47982. Code of Federal Regulations. 40 CFR 268.48.

*EPA. 1994u. Identification and Listing of Hazardous Waste: Proposed Rule. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261, Appendix VII. Basis for Listing Hazardous Waste. Federal Regulations. 59 FR 9808.

*EPA. 1994v. Drinking Water Regulations and Health Advisories. U.S. Environmental Protection Agency. Office of Water.

- *EPA. 1994w. Test Methods for Evaluating Solid Waste Method 8021a. Halogenated volatiles by gas chromatography using photoionization and electrolytic conductivity detectors in series: Capillary column technique.
- *EPA. 1994x. Standards of performance for new stationary sources: volatile organic compounds (VOC) emissions for SOC in wastewater. 59 FR 46780.
- EPA 1994y. Emission Standards for New-Road-Spark-Ignition Engines At or Below 19kw (Proposed) 59 FR 25399.
- EPA 1994z. Water Quality Guidance for Great Lakes Systems (Proposed) 59 FR 44678
- *EPA. 1995a. Effluent limitations guidelines pretreatment standards, and new source performance standards: Source performance standards centralized waste treatment category. 60 FR 5464.
- *EPA. 1995b. Land disposal restrictions-phase III. Decharacterized wastewaters caramante and organobromine wastes, and spent potliners. Environmental Protection Agency. 60 FR 11702.
- *EPA. 1995c. Effluent limitations guidelines pretreatment standards, and new sources performance standards pharmaceutical manufacturing category. Environmental Protection Agency. 60 FR 21592.
- *EPA. 1995d. National emission standards for hazardous air pollutants from secondary lead smelting. Environmental Protection Agency. 60 FR 32587.
- *EPA. 1995e. Regulation of fuels and fuel additives standards for reformulated and conventional gasoline. Environmental Protection Agency. 60 FR 40009.
- *EPA. 1995f. National emission standards for hazardous air pollutants petroleum refineries. Environmental Protection Agency. 60 FR 43244.
- *EPA. 1995g. Federal standards for marine tank vessel loading operations and national emission standards for hazardous air pollutants for marine tank vessel loading operations. Environmental Protection Agency. 60 FR 48388.
- *EPA. 1995h. Control of air pollution from new motor vehicles and new motor vehicle engines: Voluntary standards for light density vehicles. Environmental Protection Agency. 60 FR 52769.
- *EPA. 1995i. Guidelines establishing test procedures for the analysis of pollutants: New methods. Environmental Protection Agency. 60 FR 53988.
- *EPA. 1995j. Standard for the use or disposal of sewage sludge. Environmental Protection Agency. 60 FR 54771.
- *EPA. 1995k. Hazardous waste management system; identification and listing of hazardous waste petroleum refining process wastes; land disposal restrictions for newly identified wastes ad CERCLA hazardous substances designation and reportable quantities. Environmental Protection Agency. 60 FR 57747.

*EPA. 1995l Hazardous waste management system; identification and listing of hazardous waste, hazardous waste identification rule (HWIR). Appendix X-XI, Environmental Protection Agency. 60 FR 66344.

EPA 1995m. Drinking Water Regulations and Health Advisories. U.S. Environmental Protection Agency. Office of Water. May 1995.

*Erdogan G, Aksoy M. 1973. Cytogenetic studies in thirteen patients with pancytopenia and leukaemia associated with long-term exposure to benzene. *New Istanbul Contrib Clin Sci* 10:230-247.

*Erexson GL, Wilmer JL, Steinhagen WH, et al. 1986. Induction of cytogenetic damage in rodents after short-term inhalation of benzene. *Environ Mutagen* 8:29-40.

*Erf LA, Rhoads CP. 1939. The hematological effects of benzene (benzol) poisoning. *J Ind Hyg Toxicol* 20:421-435.

*Etzel RA, Ashley DL. 1994. Volatile organic compounds in the blood of persons in Kuwait during the oil fires. *Int Arch Occup Environ Health* 66: 125-129.

*Eutermoser M, Rusch GM, Kuna RA, et al. 1986. A method for repeated evaluation of benzene uptake in rats and mice during a six hour inhalation period. *Am Ind Hyg Assoc J* 47:37-40.

*Evans HL, Dempster AM, Snyder CA. 1981. Behavioral changes in mice following benzene inhalation. *Neurobehav Toxicol Teratol* 3:481-485.

*Eveleth WT, ed. 1990. *Kline guide to the U.S. Chemical Industry*. 5th ed. Fairfield, NJ: Kline & Company, Inc. 2-2-2-34.

*Exxon. 1986. Initial submission: Determination of material toxicity & fetal toxicity of benzene in rats following oral exposure (final report) with cover letter (sanitized). EPA/OTS; Dot #88-9200010293.

*Fan XH. 1992. Effect of exposure to benzene on natural killer (NK) cell activity and interleukin-2 (IL-2) production of C57BL/6 mice. *J Nippon Med Sch* 59(5):393-399.

*Farm Chemicals Handbook. 1993. *Pesticides Dictionary*, United States of America. Meister Publishing Co. Willoughby, OH C 46.

*Farris GM, Everitt JI, Irons RD, et al. 1993. Carcinogenicity of inhaled benzene in CBA mice. *Fundam Appl Toxicol* 20(4):503-507.

*Fan-is GM, Robinson SN, Gaido KW, et al. 1996. Effects of low concentrations of benzene on mouse hematopoietic cells *in vivo*. A preliminary report. *Environ Health Perspect* 104 (Suppl 6):1275-1276.

*Farris GM, Shah RS, Wong VA, et al. 1995. Benzene-induced hematotoxicity in mice evaluated by flow cytometry. *Fund App. Toxicol Suppl. The Toxicologist* 15(1):222-223.

- *FDA. 1977a. Indirect food additives: Adhesives and components of coatings. Food and Drug Administration. Code of Federal Regulations. 21 CFR 175.105.
- *FDA. 1977b. Indirect food additives: Adhesives and components of coatings. Food and Drug Administration. Federal Register 42: 14534-14554.
- *FEDRIP. 1996. Federal Research in Progress. On-line retrieval of federal research in progress database. March 1996.
- *Ferrario JB, Lawler GC, DeLeon IR, et al. 1985. Volatile organic pollutants in biota and sediments of Lake Pontchartrain. *Bull Environ Contam Toxicol* 34:246-255.
- Fiserova-Bergerova 1955. Modeling of Inhalation Exposure to Vapors: Uptake, Distribution, and Elimination Volume 1 and II. CRC Press, Inc. Boca Raton, Florida.
- *Fishbeck WA, Townsend JC, Swank MG. 1978. Effect of chronic occupational exposure to measured concentrations of benzene. *J Occup Med* 20:539-542.
- *Fishbein L. 1988a. Benzene: Uses, occurrence, and exposure. In: Fishbein L, O'Neill IK, eds. Environmental carcinogens methods of analysis and exposure measurement: Vol. 10--benzene and alkylated benzene. IARC Scientific Publications No. 85. Lyon, France: World Health Organization, International Agency of Research on Cancer. 67-96.
- *Fishbein L. 1992. Exposure from occupational versus other sources. *Stand J Work Environ Health* 18(Suppl 1):5-16.
- *Fleming AF. 1990. Benzene in petrol: a continuing hazard [letter; comment]. *Lancet* 336(8722):1076-1077.
- *Flury F. 1928. [II. Toxicities in modern industry. IIa. Pharmacological-toxicological aspects of intoxicants in modern industry.] *Archives fuer Experimentelle Pathologie und Pharmakologie* 138:65-82. (German)
- *Forni A. 1996. Benzene-induced chromosome aberrations: a follow-up study. *Environ Health Perspect* 104 (Suppl 6):1309-1312.
- *Forni A, Cappellini A, Pacifico E, et al. 1971a. Chromosome changes and their evolution in subjects with past exposure to benzene. *Arch Environ Health* 23:385-391.
- *Forni A, Moreo L. 1967. Cytogenetic studies in a case of benzene leukaemia. *Eur J Cancer* 3:251-255.
- *Forni A, Moreo L. 1969. Chromosome studies in a case of benzene-induced erythroleukaemia. *Eur J Cancer* 5:459-463.
- *Forni AM, Pacifico E, Limonta A. 1971b. Chromosome studies in workers exposed to benzene or toluene or both. *Arch Environ Health* 22:373-378.

- *Frantik E, Homychova M, Horvath M. 1994. Relative acute neurotoxicity of solvents: Isoeffective air concentrations of 48 compounds evaluated in rats and mice. *Environ Res* 66: 173-185.
- *Frantz CE, Eastmond DA. 1996. Inhibition of human topoisomerase II *in vitro* by diphenoquinone, a peroxidase-activated metabolite of benzene. *The Toxicologist* 30(1):230.
- *Frantz CE, Chen H, Eastmond DA. 1996. Inhibition of human topoisomerase II *in vitro* by bioactive benzene metabolites. 104:(Suppl 6):1319-1323.
- *Franz TJ. 1984. Percutaneous absorption of benzene. In: MacFarland HN, Holdsworth CE, MacGregor JA, et al., eds. *Advances in modern environmental toxicology*. Vol. VI. Applied toxicology of petroleum hydrocarbons. Princeton, NJ: Princeton Scientific Publishers, Inc., 61-70.
- *Frash VN, Yushkov BG, Karaulov AV, et al. 1976. Mechanism of action of benzene on hematopoiesis (investigation of hematopoietic stem cells). *Bull Exptl Biol Med* 82:985-987.
- *Froom P, Dyerassi L, Cassel A, et al. 1994. Erythropoietin-independent colonies of red blood cells and leukocytosis in a worker exposed to low levels of benzene. *Stand J Work Environ Health* 20:306-308.
- *FSTRAC. 1990. Summary of State and Federal Drinking Water Standards and Guidelines. U.S. Environmental Protection Agency. Federal-State Toxicology and Regulatory Alliance Committee. Report 7. Detailed Standards and Guidelines, by Chemical.
- *Fujie K, Ito Y, Maeda S. 1992. Acute cytogenetic effect of benzene on rat bone marrow cells in vivo and the effect of inducers or inhibitors of drug-metabolizing enzymes. *Mutat Res* 298(2):81-90.
- *Furies-Cravioto F, Zapata-Gayon C, Kolmodin-Hedman B, et al. 1977. Chromosome aberrations and sister chromatid exchange in workers in chemical laboratories and a rototyping factory and in children of women laboratory workers. *Lancet* 2:322-325.
- *Fung KK, Wright BJ. 1986. Monitoring of benzene in ambient air with organic vapor badges. *J Air Pollut Control Assoc* 36:819-821.
- *Fuselli S, Benigni R, Conti L. 1995. Volatile organic compounds (vocs) and air mutagenicity: results of one year monitoring at an urban site. *International Journal Of Environmental Health Research* 5(2):123-132.
- *Fustinoni S, Buratti M, Giampiccolo R, et al. 1995. Biological and environmental monitoring of exposure to airborne benzene and other aromatic hydrocarbons. in Milan traffic wardens. *Toxicol Letters* 77:387-392.
- *Gad-El Karim MM, Ramanujam VMS, Legator MS. 1985. *trans*, *trans*-Muconic acid, an open chain urinary metabolite of benzene in mice: Quantification by high-pressure liquid chromatography. *Xenobiotica* 15:211-220.
- *Gaffney JS, Levin SZ. 1979. Predicting gas phase organic molecule reaction rates using linear free-energy correlations: I. O(³P) and QH addition and abstraction reactions. *Int J Chem Kinet* 11:1197-1209.

- Gaido KW, Wierda D. 1987. Suppression of bone marrow stromal cell function by benzene and hydroquinone is ameliorated by indomethacin. *Toxicol Appl Pharmacol* 89:378-390.
- *Ganousis LG, Goon D, Zyglewska T, et al. 1992. Cell-specific metabolism in mouse bone marrow stroma: studies of activation and detoxification of benzene metabolites. *Mol Pharmacol* 42(6):1118-1125.
- *Geiselhart LA, Freed BM. 1996. Inhibition of human T cell activation by p-benzoquinone. *The Toxicologist*. 30(1):60.
- *Geist CR, Drew KL, Schoenheit CM, et al. 1983. Learning impairments following postnatal exposures to benzene. *Percept Mot Skills* 57:1083-1086.
- *Gemer-Smidt P, Friedrich U. 1978. The mutagenic effect of benzene, toluene and xylene studied by the SCE technique. *Mutat Res* 58:313-316.
- *Geyer H, Politzki G, Freitag D. 1984. Prediction of ecotoxicological behavior of chemicals: relationship between n-octanol/water coefficient and bioaccumulation of organic chemicals by alga *Chlorella*. *Chemosphere* 13(2):269-284.
- *Ghantous H, Danielsson BRG. 1986. Placental transfer and distribution of toluene, xylene and benzene, and their metabolites during gestation in mice. *Biol Res Pregnancy* 7:98-105.
- *Ghittori S, Fiorentino ML, Maestri L, et al. 1993. Urinary excretion of unmetabolized benzene as an indicator of benzene exposure. *J Toxicol Environ Health* 38(3):233-243.
- *Ghittori S, Maestri L, Fiorentino ML, et al. 1995. Evaluation of occupational exposure to benzene by urinalysis. *Int Arch Occup Environ Health* 67:195-200.
- *Ghoos Y, Claus D, Geypens B, et al. 1994. Screening method for the determination of volatiles in biomedical samples by means of an off-line closed-loop trapping system and high-resolution gas chromatography-ion trap detection. *J Chromatogr* 665:333-345.
- *Gibson DT. 1977. Biodegradation of aromatic petroleum hydrocarbons. In: Wolfe DA, ed. *Fate and effects of petroleum hydrocarbons in marine ecosystems and organisms*. New York, NY: Pergamon, 36-46.
- *Gibson DT. 1980. Microbial metabolism. In: Hutzinger O, ed. *The handbook of environmental chemistry*. New York, NY: Springer-Verlag, 161-192.
- *Gill DP, Ahmed AE. 1981. Covalent binding of [¹⁴C]benzene to cellular organelles and bone marrow nucleic acids. *Biochem Pharmacol* 30: 1127-1131.
- *Gill DP, Jenkins VK, Kempen RR, et al. 1980. The importance of pluripotential stem cells in benzene toxicity. *Toxicology* 16:163-171.
- *Gill DP, Kempen RR, Nash JB, et al. 1979. Modifications of benzene myelotoxicity and metabolism by phenobarbital, SKF-525A and 3-methylcholanthrene. *Life Sciences* 25:1633-1640.

- *Gilli G, Scursatone E, Bono R. 1994. Benzene, toluene and xylenes in air, geographical distribution in the Piedmont region (Italy) and personal exposure. *Sci Total Environ* 148(1):49-56.
- *Glass LR, Connor TH, Thiess JC, et al. 1986. Genotoxic evaluation of the offgassing products of particle boards. *Toxicol Lett* 31:75-83.
- *Glatt H, Padykula R, Berchtold GA, et al. 1989. Multiple activation pathways of benzene leading to products with varying genotoxic characteristics. *Environ Health Perspect* 82:81-89.
- *Glatt H, Witz G. 1990. Studies on the induction of gene mutations in bacterial and mammalian cells by the ring-opened benzene metabolites *trans,trans*-muconaldehyde and *trans,trans*-muconic acid. *Mutagenesis* 5:263-266.
- *Glauert HP, Kennan WS, Sattler GL, et al. 1985. Assays to measure the induction of unscheduled DNA synthesis in cultured hepatocytes. *Progress in Mutation Research* 5:371-373.
- *Gofmekler VA. 1968. [Effect on embryonic development of benzene and formaldehyde in inhalation experiments.] *Hygiene Sanitation* 33:327-332. (Russian)
- *Gold LS, Slone TH, Stern BR, et al. 1993. Comparison of target organs of carcinogenicity for mutagenic and non-mutagenic chemicals. *Mutat Res* 286(1):75-100.
- *Goldman LR, Paigen B, Magnant MM, et al. 1985. Low birth weight, prematurity and birth defects in children living near the hazardous waste site, Love Canal. *Hazardous Waste and Hazardous Materials* 2:209-223.
- *Goldstein BD. 1985. Risk assessment and risk management of benzene by the Environmental Protection Agency. In: *Risk quantitation and regulatory policy*, Banbury Report 19:293-304.
- *Goldstein BD. 1988. Benzene toxicity: Occupational medicine. *State of the Art Reviews* 3:541-554.
- *Goldstein BD, Warren J. 1993. HEI's mobile air toxics project. *Environ Health Perspect* 101(3):256-258.
- *Goldwater LJ. 1941. Disturbances in the blood following exposure to benzol. *J Lab Clin Med* 26:957-973.
- *Gonasun LM, Witmer C, Kocsis J, et al. 1973. Benzene metabolism in mouse liver microsomes. *Toxicol Appl Pharmacol* 26:398-406.
- *Gonzalez J, Levine SP. 1986. The development and evaluation of a thermally-desorbable miniature passive dosimeter for the monitoring of organic vapors. *Am Ind Hyg Assoc J* 47:339-346.
- *Goon D, Matsuura J, Ross D. 1993. Metabolism and cytotoxicity of *trans,trans*- muconaldehyde and its derivatives: potential markers of benzene ring cleavage reactions. *Chem-Biol Interact* 88(1):37-53.
- *Gordian ME, Guay G. 1995. Benzene in Alaska. *J Alaska Medicine* 37(1):25-36

- *Gossett RW, Brown DA, Young DR. 1983. Predicting the bioaccumulation of organic compounds in marine organisms using octanol/water partition coefficients. *Marine Poll Bull* 14 (10):387-392.
- *Graedel TE. 1978. Chemical compounds in the atmosphere. New York, NY: Academic Press, 105-107.
- *Grassman J, Haas R. 1993. Development of an immunoassay to detect hemoglobin adducts formed by benzene exposure. *Int Arch Occup Environ Health* 65(1 Suppl):147-150.
- *Grbic-Galic D, Vogel TM. 1987. Transformation of toluene and benzene by mixed methanogenic cultures. *Appl Environ Microbiol* 53(2):254-260.
- *Greek BF. 1990. Prices and demand for aromatics reverse earlier gains. *Chemical and Engineering News* 68:11-12.
- *Green JD, Leong BKJ, Laskin S. 1978. Inhaled benzene fetotoxicity in rats. *Toxicol Appl Pharmacol* 46:9-18.
- *Green JD, Snyder CA, LoBue J, et al. 1981a. Acute and chronic dose/response effects of inhaled benzene on multipotential hematopoietic stem (CFU-S) and granulocyte/macrophage progenitor (GM-CFU-C) cells in CD-1 mice. *Toxicol Appl Pharmacol* 58:492-503.
- *Green JD, Snyder CA, LoBue J, et al. 1981b. Acute and chronic dose/response effect of benzene inhalation on the peripheral blood, bone marrow, and spleen cell of CD-1 male mice. *Toxicol Appl Pharmacol* 59:204-214.
- *Greenburg L. 1926. Benzene poisoning as an industrial hazard. *Public Health Reports* 41: 1357-1375.
- *Greenburg L, Mayers MR, Goldwater L, et al. 1939. Benzene (benzol) poisoning in the rotogravure printing industry in New York City. *J Ind Hyg Toxicol* 21:395-420.
- *Greenland S, Salvan A, Wegman DH, et al. 1994. A case-control study of cancer mortality at a transformer-assembly facility. *Int Arch Occup Environ Health* 66:49-54.
- *Grab K, Frauenfelder C, Artho A. 1990. Uptake by foods of tetrachloroethylene, trichloroethylene, toluene, and benzene from air. *Z. Lebensm Unters Forsch* 191:435-441.
- *Grotz VL, Ji S, Kline SA, et al. 1994. Metabolism of benzene and trans,trans-muconaldehyde in the isolated perfused rat liver. *Toxicol Lett* 70 (3):281-290.
- *Grotz VL, Witz G. 1995. Strain comparison studies on the metabolism of benzene and trans,trans-muconaldehyde by liver cell fractions from DBA/2N and C57BL/6 mice. *Toxicologist* 15(1):154.
- *Gruenke LD, Craig JC, Wester RC, et al. 1986. Quantitative analysis of benzene by selected ion monitoring/gas chromatography/mass spectrometry. *J Anal Toxicol* 10:225-232.

- *Guerra G, Lemma A, Lerda D, et al. 1995. Benzene emissions from motor vehicle traffic in the urban area of Milan: hypothesis of health impact assessment. *Atmospheric Environment* 29(23):3559-3569.
- *Gulati DK, Witt K, Anderson B, et al. 1989. Chromosome aberration and sister chromatid exchange tests in Chinese hamster ovary cells *in vitro*: III: Results with 27 chemicals. *Environ Mol Mutagen* 13:133-193.
- *Gut I, Nedelcheva V, Soucek P, et al. 1996. Cytochromes P450 in benzene metabolism and involvement of their metabolites and reactive oxygen species in toxicity. *Environ Health Perspect* 104 (Suppl 6):1211-1218.
- *Gut I, Terelius Y, Frantik E, et al. 1993. Exposure to various benzene derivatives differently induces cytochromes P450 2B1 and P450 2E1 in rat liver. *Arch Toxicol* 67(4):237-243.
- *Guy RL, Dimitriadis EA, Hu PD, et al. 1990. Interactive inhibition of erythroid ⁵⁹Fe utilization by benzene metabolites in female mice. *Chem-Biol Interact* 74(1-2):55-62.
- *Haddad LM, Winchester JF. 1990. Clinical management of poisoning and drug overdose. W.B Saunders Company. Philadelphia. 1222-1232.
- *Hadeishi T, Pollard M, McLaughlin R, et al. 1985. Development of an optical monitor for toxic organic compounds in air. Research Triangle Park, NC: U.S. Environmental Protection Agency, ORD, Environmental Monitoring Systems Laboratory EPA/600/4-85-043. NTISPB85-225027
- *Haider K, Jagnow G, Kohnen R, et al. 1981. Degradation of chlorinated benzene, phenols and cyclohexane derivatives by benzene- and phenol-utilizing soil bacteria under aerobic conditions. In: Overcash MR, ed. Decomposition of toxic and nontoxic organic compounds in soils. Ann Arbor, MI: Ann Arbor Science, 207-223.
- *Hajimiragha H, Ewers U, Brockhaus A, et al. 1989. Levels of benzene and other volatile aromatic compounds in the blood of non-smokers and smokers. *Int Arch Occup Environ Health* 61:513-518.
- *Hallberg LM, Grossman L, Hedayati MA, et al. 1995. DNA repair activities in lymphocytes of benzene exposed workers. 26th Annual Meeting Of The Environmental Mutagen Society, St. Louis, Missouri, USA, March 12-16, 1995. *Environmental And Molecular Mutagenesis*; 25 (Suppl. 25) 22.
- *Hallenbeck WH, Flowers RE. 1992. Risk analysis for worker exposure to benzene. *Environ Manage* 16(3):415-420.
- *Hamilton A. 1922. The growing menace of benzene (benzol) poisoning in American industry. *J Am Med Assoc* 78:627-630.
- *Hammers WE, Bosman HFPM. 1986. Quantitative evaluation of a simple dynamic headspace analysis technique for non-polar pollutants in aqueous samples at the ng/kg level. *J Chromatogr* 360:425-432.
- *Hammond JW, Hermann ER. 1960. Industrial hygiene features of a petro-chemical benzene plant design and operation. *Am Ind Hyg Assoc J* 21:173-177.

- *Hanke J, Dutkiewicz T, Piotrowski J. 1961. [The absorption of benzene through the skin in men]. *Medycyna Pracy* 12:413-426. (Polish)
- *Hanzlick R. 1995. National association of medical examiners pediatric toxicology (pedtox) registry report 3: case submission summary and data for acetaminophen, benzene, carboxyhemoglobin, dextromethorphan, ethanol, phenobarbital, and pseudoephedrine. *American Journal of Forensic Medicine and Pathology* 16 (4):270-277.
- *Harayama S, Timmis KN. 1992. Aerobic biodegradation of aromatic hydrocarbons by bacteria. In: Sigel, H. and A. Sigel (ed.). *Metal ions in biological systems*, vol. 28: Degradation of environmental pollutants by microorganisms and their metalloenzymes. Marcel Dekker, Inc.: New York, New York, USA.
- *Harkov R, Gianti SJ Jr, Bozzelli JW, et al. 1985. Monitoring volatile organic compounds at hazardous and sanitary landfills in New Jersey. *J Environ Sci Health A20*:491-501.
- *Harland BJ, Whitby FJ, Comber MHI. 1985. Measurement of volatile aromatic hydrocarbons in an industrial estuary. *Int J Environ Anal Chem* 20:295-311.
- *Harper BL, Sadagopa Ramanujam VM, Gad-El-Karim MM, et al. 1984. The influence of simple aromatics on benzene clastogenicity. *Mutat Res* 128: 105-114.
- Harrison I, Leader RU, Higgs JJW, et al. 1994. Determination of organic pollutants in small samples of groundwaters by liquid-liquid extraction and capillary gas chromatography. *J Chromatogr A* 688:181-188.
- *Hartwich G, Schwanitz G, Becker J. 1969. Chromosome anomalies in a case of benzene leukaemia. *German Medical Monthly* 14:449-450.
- *Hatakeyama Y, Nakajima E, Atai H, et al. 1992. Effects of benzene in a micronucleus test on peripheral blood utilizing acridine orange-coated slides. *Mutat Res* 278(2-3):193-195.
- *Hattemer-Frey HA, Travis CC, Land ML. 1990. Benzene: Environmental partitioning and human exposure. *Environ. Res.* 53:221-232.
- *Hawkins NC. 1991. Conservatism in maximally exposed individual (MEI) predictive exposure assessments: a first-cut analysis. *Regul Toxicol Pharmacol* 14(2):107-117.
- *Hayashi M, Norppa H, Sofuni T, et al. 1992. Flow cytometric micronucleus test with mouse peripheral erythrocytes. *Mutagenesis* 7(4):257-264.
- *Hayes RB. 1992. Biomarkers in occupational cancer epidemiology: considerations in study design. *Environ Health Perspect* 98:149-154.
- *Hayes RB, Yin SN, Dosemeci M, et al. 1996. Mortality among benzene-exposed workers in China. *Environ Health Perspect* 104 (Suppl 6):1349-1352.
- *HazDat. 1996. Database. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.

- *Hazel B, O'Connor A, Niculescu R, Kalf G, et al. 1996. Induction of granulocytic differentiation in a mouse model by benzene and hydroquinone. *Environ Health Perspect* 104 (Suppl 6): 1257-1264.
- *Hazel BA, O'Connor A, Niculescu R, et al. 1995. Benzene and its metabolite, hydroquinone, induce granulocytic differentiation in myeloblasts by interacting with cellular signaling pathways activated by granulocyte colony-stimulating factor. *Stem Cells* 13(3): 295-310.
- *Heath CW. 1983. Field epidemiologic studies of populations exposed to waste dumps. *Environ Health Perspect* 48:3-7.
- *Heavner DL, Morgan WT, Ogden MW. 1995. Determination of volatile organic compounds and ETS apportionment in 49 homes. *Environ Int* 21(1):3-21.
- *Hedli CC, Nimmagudda R, Reuhl KR, et al. 1995. DNA adducts and granulocytic differentiation in HL-60 cells following treatment with benzene metabolites. In: Abstracts of the 34th annual meeting. *Toxicologist* 15(1):153.
- *Hedli CC, Snyder R, Witmer CM. 1990. Bone marrow DNA adducts and bone marrow cellularity following treatment with benzene metabolites *in vivo*. *Adv Exp Med Biol* 283:745-748.
- *Hedli CC, Yurkow E, Snyder R. 1996. The *in vitro* hematotoxicity of 1,2,4-benzenetriol (BT) to female BALB/C mice. *The Toxicologist* 30(1):339.
- *Hellmer L, Bolcsfoldi G. 1992a. An evaluation of the *E. coli* K-12 *uvrB/recA* DNA repair host-mediated assay: II. *in vivo* results for 36 compounds tested in the mouse. *Mutat Res* 272(2):161-173.
- *Hellmer L, Bolcsfoldi G. 1992b. An evaluation on the *E. coli* k-12 *uvrB/recA* DNA repair host-mediated assay: I. *in vitro* sensitivity of the bacteria to 61 compounds. *Mutat Res* 272(2):145-160.
- *Henderson RF. 1996. Species differences in the metabolism of benzene. *Environ Health Perspect* 104 (Suppl 6):1173-1175.
- *Henderson RF, Bechtold WE, Strunk MR, et al. 1995. Analysis of benzene metabolites and glutathione in the bone marrow of B6C3F₁ mice. *Toxicologist* 15(1):222.
- *Henderson RF, Sabourin PJ, Bechtold WE, et al. 1989. The effect of dose, dose rate, route of administration, and species on tissue and blood levels of benzene metabolites. *Environ Health Perspect* 82:9-17.
- *Henderson RF, Sabourin PJ, Medinsky MA, et al. 1992. Benzene dosimetry in experimental animals: Relevance for risk assessment. In: D'Amato R, Slaga TJ, Farland WH, et al. *Relevance of animal studies to the evaluation of human cancer risk*. New York, NY: Wiley-Liss Inc. 93-105.
- *Hendrickson HP, Sahafayen M, Bell MA, et al. 1994. Relationship of flavonoid oxidation potential and effect on rat hepatic microsomal metabolism of benzene and phenol. *J Pharm Biomed Anal* 12(3):335-341.

- *Henschler R, Glatt HR. 1995. Induction of cytochrome p4501a1 in haemopoietic stem cells by hydroxylated metabolites of benzene. *Toxicology in vitro* 9(4):453-457.
- *Hite M, Pecharo M, Smith I, et al. 1980. The effect of benzene in the micronucleus test. *Mutat Res* 77:149-155.
- *Hoechst. 1977. Initial submission: mutagenicity evaluation of benzene in *Salmonella typhimurium*, *Saccharomyces cerevisiae*, and mice (final report) with attachment EPA/OTS; Dot #88-920002878.
- *Holdren MW, Smith DL, Smith RN. 1985. Comparison of ambient air sampling techniques for volatile organic compounds. U.S. Environmental Protection Agency. EPA 600/S4-85-067. PB86-120953/GAR.
- *Holmberg B, Lundberg P. 1985. Benzene: Standards, occurrence, and exposure. *Am J Ind Med* 7:375-383.
- *Hopper DJ. 1978. Microbial degradation of aromatic hydrocarbons. In: Watkinson RJ, ed. *Developments in biodegradation of hydrocarbons*. London, England: Applied Science, 85-112.
- HSDB. 1996. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Program (via TOXNET), Bethesda, MD. January 1996.
- *Hsieh GC, Parker RDR, Sharma RP, et al. 1990. Subclinical effects of groundwater contaminants. III. Effects of repeated oral exposure to combinations of benzene and toluene on immunologic responses in mice. *Arch Toxicol* 64(4):320-328.
- *Hsieh GC, Parker RDR, Sharma RP. 1988a. Subclinical effects of groundwater contaminants: II. Alteration of regional brain monoamine neurotransmitters by benzene in CD-1 mice. *Arch Environ Contam Toxicol* 17:799-805.
- *Hsieh GC, Sharma RP, Parker RDR. 1988b. Subclinical effects of groundwater contaminants: I. Alteration of humoral and cellular immunity by benzene in CD-1 mice. *Arch Environ Contam Toxicol* 17:151-158.
- *Hsieh GC, Sharma RP, Parker RD. 1991. Hypothalamic-pituitary-adrenocortical axis activity and immune function after oral exposure to benzene and toluene. *Immunopharmacology* 21(1):23-31.
- *Huff JE, Haseman JK, DeMarini DM, et al. 1989. Multiple-site carcinogenicity of benzene in Fischer 344 rats and B6C3F₁ mice. *Environ Health Perspect* 82:125-163.
- *Hunter CG. 1968. Solvents with reference to studies on the pharmacodynamics of benzene. *Proc R Soc Med* 61:913-915.
- *Hunting KL, Longbottom H, Kalavar SS, et al. 1995. Haematopoietic cancer mortality among vehicle mechanics. *Occupational Environmental Medicine* 52:673-678.
- *Hurley JF, Cherrie JW, Maclaren W. 1991. Exposure to benzene and mortality from leukaemia: results from coke oven and other coal product workers [letter]. *Br J Ind Med* 48(7):502-503.

- *Hustert K, Mansour H, Korte F. 1981. A method to determine the photochemical decomposition of organic compounds in aquatic systems.
- *Hutt AM, Kalf GF. 1996. Inhibition of human DNA topoisomerase II by hydroquinone and p-benzoquinone, reactive metabolites of benzene. *Environ Health Perspect* 104 (Suppl 6): 1261-1269.
- *IARC. 1982. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans. Vol. 29: Some industrial chemical and dyestuffs. Benzene. Lyon, France: World Health Organization, International Agency for Research on Cancer 93-148.
- *IARC. 1987. IARC monographs on the evaluation of carcinogenic risks to humans. Overall evaluations of carcinogenicity: An updating of IARC Monographs Volumes 1 to 42. Suppl 7. Lyons, France: World Health Organization, International Agency for Research on Cancer, 38-74.
- *Ikeda M, Ohtsuji H. 1971. Phenobarbital-induced protection against toxicity of toluene and benzene in the rat. *Toxicol Appl Pharmacol* 20:30-43.
- *Ikeda M, Ohtsuji H, Imamura T. 1972. *In vivo* suppression of benzene and styrene oxidation by co-administered toluene in rats and effects of phenobarbital. *Xenobiotica* 2: 101-106.
- *Infante PF. 1978. Leukemia among workers exposed to benzene. *Tex Rep Biol Med* 37:153-161.
- *Infante PF, Rinsky RA, Wagoner JK, et al. 1977. Leukemia in benzene workers. *Lancet* 2:76-78.
- *Inoue O, Seiji K, Kasahara M, et al. 1986. Quantitative relation of urinary phenol levels to breathzone benzene concentrations: a factory survey. *Br J Ind Med* 43:692-697.
- *Inoue O, Seiji K, Kasahara M, et al. 1988a. Determination of catechol and quinol in the urine of workers exposed to benzene. *Br J Ind Med* 45:487-492.
- *Inoue O, Seiji K, Nakatsuka H, et al. 1989. Urinary t,t-muconic acid as an indicator of exposure to benzene. *Br J Ind Med* 46: 122-127.
- *Inoue O, Seiji K, Watanabe T, et al. 1988b. Mutual metabolic suppression between benzene and toluene in man. *Int Arch Occup Environ Health* 60: 15-20.
- *IRIS. 1996. Integrated Risk Information System. National Institute for Occupational Safety and Health.
- *Irons RD. 1985. Quinones as toxic metabolites of benzene. *J Toxicol Environ Health* 16:673-678
- *Irons RD, Dent JG, Baker TS, et al. 1980. Benzene is metabolized and covalently bound in bone marrow *in situ*. *Chem-Biol Interact* 30:241-245.
- *Irons RD, Heck Hd'A, Moore BJ, et al. 1979. Effects of short-term benzene administration on bone marrow cell cycle kinetics in the rat. *Toxicol Appl Pharmacol* 51:399-409.
- *Irons RD, Stillman WS. 1993. Cell proliferation and differentiation in chemical leukemogenesis. *Stem Cells* 11:235-242.

- *Irons RD, Stillman WS. 1996. Impact of benzene metabolites on differentiation of bone marrow progenitor cells. *Environ Health Perspect* 104 (Suppl 6): 1247-1250.
- *Irons RD, Stillman WS, Colagiovanni DB, et al. 1992. Synergistic action of the benzene metabolite hydroquinone on myelopoietic stimulating activity of granulocyte/macrophage colony-stimulating factor *in vitro*. *Proc Natl Acad Sci* 89(9):3691-3695.
- IRPTC. 1985. Treatment and disposal methods for waste chemicals. Data Profile Series No. 5. International Register of Potentially Toxic Chemicals. Geneva, Switzerland. United Nations Environment Programme.
- *ITII. 1975. Toxic and hazardous industrial chemicals safety manual for handling and disposal, with toxicity and hazard data. Tokyo, Japan: International Technical Information Institute, 62-64.
- *Jablonicka A, Vargova M, Karellova J. 1987. Cytogenetic analysis of peripheral blood lymphocytes in workers exposed to benzene. *J Hyg Epidemiol Microbial Immunol* 31:127-133.
- *Jakobsson R, Ahlbom A, Bellander T, et al. 1993. Acute myeloid leukemia among petrol station attendants. *Arch Environ Health* 48(4):255-259.
- *Jen J-F, Tsai M-Y. 1994. Determination of phenol in urine by high-performance liquid chromatography with on-line precolumn enzymatic hydrolysis of the conjugates. *J Chromatogr* 658:87-92.
- *Jerina D, Daly J, Witkop B, et al. 1968. Role of arene oxide-oxepin system in the metabolism of aromatic substances. I. *In vitro* conversion of benzene oxide to a premercapturic acid and a dihydrodioi. *Arch Biochem Biophys* 128:176-183.
- *Jirka AM, Bourne S. 1982. Gas-chromatographic analysis for benzene in blood. *Clin Chem* 28:1492-1494.
- *Johansson I, Ingelman-Sundberg M. 1988. Benzene metabolism by ethanol-, acetone-, and benzene-inducible cytochrome P-450(IIEI) in rat and rabbit liver microsomes. *Cancer Res* 48:5387-5390.
- *Johnson ES, Lucier G. 1992. Perspectives on risk assessment impact of recent reports on benzene. *Am J Ind Med* 21(5):749-757.
- *Jongeneelen FJ, Dirven HAAM, Leijdekkers C-M, et al. 1987. S-phenyl-n-acetylcysteine in urine of rats and workers after exposure to benzene. *J Anal Toxicol* 11:100-104.
- *Kaden DA, Hites RA, Thilly WG. 1979. Mutagenicity of soot and associated polycyclic aromatic hydrocarbons to *Salmonella typhimurium*. *Cancer Res* 39:4152-4159.
- *Kahn H, Muzyka V. 1973. The chronic effect of benzene on porphyrin metabolism. *Work Environ Health* 10:140-143.
- *Kale PG, Baum JW. 1983. Genetic effects of benzene in *Drosophila melanogaster* males. *Environ Mutagen* 5:223-226.

- *Kalf GF, Post GB, Snyder R. 1987. Solvent toxicology: Recent advances in the toxicology of benzene, the glycol ethers, and carbon tetrachloride. *Ann Rev Pharmacol Toxicol* 27:399-427.
- *Kalf GF, Rushmore T, Snyder R. 1982. Benzene inhibits RNA synthesis in mitochondria from liver and bone marrow. *Chem-Biol Interact* 42:353-370.
- *Kalf GF, Schlosser MJ, Renz JF, et al. 1989. Prevention of benzene-induced myelotoxicity by nonsteroidal anti-inflammatory drugs. *Environ Health Perspect* 82:57-64.
- *Kalf G, Shurina R, Rem J, et al. 1990. The role of hepatic metabolites of benzene in bone marrow peroxidase-mediated myelo- and genotoxicity. *Adv Exp Med Biol* 283:443-455.
- *Kanada M, Miyagawa M, Sato M, et al. 1994. Neurochemical profile of effects of 28 neurotoxic chemicals on the central nervous system in rats (1) effects of oral administration on brain contents of biogenic amines and metabolites. *Ind Health* 32:145-164.
- *KAR. 1991a. Threshold Ambient Limits and Significant Emission Levels of Toxic Air Pollutants. Kentucky Administrative Regulations (KAR). 401 KAR 63:021. Existing Sources Emitting Toxic Air Pollutants. Appendix B.
- *KAR. 1991b. Appendix on Hazardous Waste Constituents. Kentucky Hazardous Waste Management Regulations. 401 KAR 31: 170.
- *Karacic V, Skender L, Prpic -Majic D. 1987. Occupational exposure to benzene in the shoe industry. *Am J Ind Med* 12:531-536.
- *Karacic V, Skender L, Bosner-Cucancic B, et al. 1995. Possible genotoxicity in low level benzene exposure. *Am J Ind Med* 27:379-388.
- *Karickhoff SW. 1981. Semi-empirical estimation of sorption of hydrophobic pollutants on natural sediments and soils. *Chemosphere* 10:833-846.
- *Karlson U, Frankenberger WT Jr. 1989. Microbial degradation of benzene and toluene in groundwater. *Bull Environ Contam Toxicol* 43:505-510.
- *Kate S, Onda M, Matsukura N. 1995. Cytochrome p4502E1 (CYP2E1) genetic polymorphism in a case-control study of gastric cancer and liver disease. *Pharmacogenetics* 5:141-144.
- *Kawai T, Yamaoka K, Uchida Y, et al. 1990. Benzene exposure in a Japanese petroleum refinery. *Toxicol Lett* 52(2):135-139.
- *Kawai T, Yamaoka K, Uchida Y, et al. 1991. Exposure to vapors of benzene and other aromatic solvents in tank truck loading and delivery. *Bull Environ Contam Toxicol* 46(1): 1-8.
- *Keener WK, Arp DJ. 1994a. Transformations of aromatic compounds by *Nitrosomonas europaea*. *Appl Environ Microbiol* 60(6): 1914-1920.
- *Keener WK, Arp DJ. 1994b. Biotransformations of aromatic compounds by *Nitrosomonas europaea*. Abstracts of the general meeting of the American Society for Microbiology 94:446.

- *Keller KA, Snyder CA. 1986. Mice exposed *in utero* to low concentrations of benzene exhibit enduring changes in their colony forming hematopoietic cells. *Toxicology* 42: 171-181.
- *Keller KA, Snyder CA. 1988. Mice exposed *in utero* to 20 ppm benzene exhibit altered numbers of recognizable hematopoietic cells up to seven weeks after exposure. *Fundam Appl Toxicol* 10:224-232.
- *Kelly TJ, Callahan PJ, Pleil J, Evans GF. 1993. Method development and field measurements for polar volatile organic Compounds in Ambient Air. *Environ Sci Technol* 27(6):1146-1152.
- *Kenaga EE. 1980. Predicted bioconcentration factors and soil sorption coefficients of pesticides and other chemicals. *Ecotoxicol Environ Safety* 4:26-38.
- *Kennedy LG, Hutchins SR. 1992. Applied Geologic, Microbiological, and Engineering Constraints of In-situ BTEX Bioremediation. *Remediation* 3:83-110.
- *Kenyon EM, Medinsky MA. 1995. Incorporation of heterogeneous enzyme distribution into a physiological model for benzene, phenol and hydroquinone. In: Abstracts of the 34th annual meeting. *Toxicologist* 15(1):49.
- *Kiang PH, Grob RL. 1986. A headspace technique for the determination of volatile compounds in soil. *J Environ Sci Health, Part A* 21:71-100.
- *Kimmel CA, Wilson JG. 1973. Skeletal deviations in rats: Malformations or variations? *Teratology* 8:309-3 16.
- *Kipen HM, Cody RP, Goldstein BD. 1989. Use of longitudinal analysis of peripheral blood counts to validate historical reconstructions of benzene exposure. *Environ Health Perspect* 82:199-206.
- *Kirschner EM. 1995. Production of top 50 chemicals increased substantially in 1994. *Chemical and Engineering News* April 10, 1995. 16-20.
- *Kissling M, Speck B. 1972. Further studies on experimental benzene induced aplastic anemia. *Blut* 25:97-103.
- *Kissling M, Speck B. 1973. Chromosome aberrations in experimental benzene intoxication. *Helv. med. Acta* 36:59-66.
- *Klan MJ, Adams DO, Lewis JG. 1990. Effects of exposure to benzene *in vivo* on the murine mononuclear phagocyte system. *Toxicol Appl Pharmacol* 103(2):198-205.
- *Kok PW, Ong CN. 1994. Blood and urinary benzene determined by headspace gas chromatography with photoionization detection: application in biological monitoring of low-level nonoccupational exposure. *Int Arch Occup Environ Health* 66(3):195-201.
- *Kolachana P, Subrahmanyam VV, Meyer KB, et al. 1993. Benzene and its phenolic metabolites produce oxidative DNA damage in HL60 cells *in vitro* and in the bone marrow *in vivo*. *Cancer Res* 53(5):1023-1026.

- *Koop DR, Laethem CL. 1992. Inhibition of rabbit microsomal cytochrome P-450 2E1-dependent p-nitrophenol hydroxylation by substituted benzene derivatives. *Drug Metab Dispos* 20(5):775-777.
- *Korde VM, Phelps TJ, Bienkowski PR, et al. 1993. Biodegradation of chlorinated aliphatics and aromatic compounds in total-recycle expanded-bed biofilm reactors. *Appl Biochem Biotechnol* 39-40:631-641.
- *Korte F, Klein W. 1982. Degradation of benzene in the environment. *Ecotoxicol Environ Safety* 6:311-327.
- *Kowalski JD, Shkiya JM, Tsou G. 1985. Ambient sampling and analysis of halogenated hydrocarbons and benzene. Air Pollution Control Association, Detroit, MI. APCA Annual Meeting: June 16-21, 2-13.
- *Kozioski RP. 1985. Determination of benzene and toluene in soils and plant material by azeotropic distillation. *Bull Environ Contam Toxicol* 34:10-16.
- *Kraut A, Lilis R, Marcus M, et al. 1988. Neurotoxic effects of solvent exposure on sewage treatment workers. *Arch Environ Health* 43:263-268.
- *Krishnan K, Andersen ME. 1994. Physiologically-based pharmacokinetic modeling in toxicology. In: Principles and methods of toxicology. 3rd edition, Wallace Hayes, ed. Raven Press, Ltd. New York, NY.
- *Krishnan K, Andersen ME, Clewell HJ III, et al. 1994. Physiologically-based pharmacokinetic modeling of chemical mixtures. In: Toxicology of chemical mixtures, R.S.A. Yang, ed. Academic Press, New York, NY.
- *Kuna RA, Kapp RW. 1981. Embryotoxic/teratogenic potential of benzene vapor in rats. *Toxicol Appl Pharmacol* 57: 1-7.
- *Kuna RA, Nicolich MJ, Schroeder RE, et al. 1992. A female rat fertility study with inhaled benzene. *J Am Coll Toxicol* 11(3):275-282.
- *Kunisaki TA, Augenstein WL. 1994. Drug-and toxin-induced seizures. *Emergency Medicine Clinics Of North America*; 12(4):1027-10.56.
- *Lagorio S, Forastiere F, Iavarone I, et al. 1994b. Mortality of filling station attendants. *Scand J Work Environ Health* 20:331-338.
- *Lagorio S, Tagesson C, Forastiere F, et al. 1994a. Exposure to benzene and urinary concentrations of 8-hydroxydeoxyguanosine, a biological marker of oxidative damage to DNA. *Occupational and Environmental Medicine* 5 1:739-743.
- *Laitinen J, Kangas J, Pekari K, et al. 1994. Short time exposure to benzene and gasoline at garages. *Chemosphere* 28: 197-205.
- *Lakhanisky TH, Hendrickx B. 1985. Induction of DNA single-strand breaks in CHO cells in culture. In: Ashby J, de Serres FJ, Draper M, et al., eds. *Progress in Mutation Research* 5:367-370.

- *Lange A, Smolik R, Zatonski W, et al. 1973a. Leukocyte agglutinins in workers exposed to benzene, toluene and xylene. *Int Arch Arbeitsmed* 31:45-40.
- *Lange A, Smolik R, Zatonski W, et al. 1973b. Serum immunoglobulin levels in workers exposed to benzene, toluene and xylene. *Int Arch Arbeitsmed* 31:37-44.
- *Lansari A, Lindstrom AB, Templeman BD, et al. 1992. Multizonal mass balance modeling of benzene dispersion in a private residence. Proceedings of the 1992 US Environmental Protection Agency/Air and Waste Management Association Symposium on Measurement of Toxic and Related Air Pollutants, May 1992.
- *Larson TV, Koenig JQ. 1994. Wood smoke: Emissions and noncancer respiratory effects. *Annu Rev Public Health* 15:133-156.
- *Laskin DL, Heck DE, Punjabi CJ, et al. 1996. Role of nitric oxide in benzene-induced bone marrow toxicity. *Environ Health Perspect* 104 (Suppl 6):1283-1287.
- *Laskin JD, Rao NR, Punjabi CJ, et al. 1995. Distinct actions of benzene and its metabolites on nitric oxide production by bone marrow leukocytes. *J Leukoc Biol* 57:422-426.
- *Latriano L, Goldstein BD, Witz G. 1986. Formation of muconaldehyde, an open-ring metabolite of benzene, in mouse liver microsomes: An additional pathway for toxic metabolites. *Proc Natl Acad Sci USA* 83:8356-8360.
- *Lauwerys RR, Buchet JP, Adrien F. 1994. Muconic acid in urine: A reliable indicator of occupational exposure to benzene. *Am J Ind Med* 25:297-300.
- *Lee B-L, New A-L, Kok P-W, et al. 1993. Urinary *trans,trans*-muconic acid determined by liquid chromatography: application in biological monitoring of benzene exposure. *Clin Chem* 39: 1788-1792.
- *Lee EW, Gamer CD. 1991. Effects of benzene on DNA strand breaks *in vivo* versus benzene metabolite-induced DNA strand breaks *in vitro* in mouse bone marrow cells. *Toxicol Appl Pharmacol* 108(3):497-508.
- *Lee EW, Gamer CD, Johnson JT. 1988. A proposed role played by benzene itself in the induction of acute cytopenia: Inhibition of DNA synthesis. *Res Commun Chem Pathol Pharmacol* 60:27-46.
- *Lee EW, Johnson JT, Gamer CD. 1989. Inhibitory effect of benzene metabolites on nuclear DNA synthesis in bone marrow cells. *J Toxicol Environ Health* 26:277-291.
- *Lee J-Y, Roh J-R, Kim H-S. 1994. Metabolic engineering of *Pseudomonas putida* fo; the simultaneous biodegradation of benzene, toluene, and p-xylene mixture. *Biotechnol Bioengin* 43(11):1146-1152.
- *Legathe A, Hoener BA, Tozer TN. 1994. Pharmacokinetic interaction between benzene metabolites, phenol and hydroquinone, in B6C3F₁ mice. *Toxicol Appl Pharmacol* 124:131-138.

- Leo A, Hansch C, Elkins D. 1971. Partition coefficients and their uses. *Chemical Reviews* 71(6):525, 569.
- *Leung H. 1993. Physiologically-based pharmacokinetic modeling. In: *General and applied toxicology*. Vol. I. Ballantine B, Marro T, Turner T, eds. Stockton Press, New York, NY. 153-164.
- *Levy G, Bodell WJ. 1992. Potentiation of DNA adduct formation in HL-60 cells by combinations of benzene metabolites. *Proc Natl Acad Sci USA* 89(15):7105-7109.
- *Levy A. 1973. The photochemical smog reactivity of organic solvents. In: *Solvent theory and practices*. *Adv Chem Ser* 124:70-94.
- *Lewis JG, Odom B, Adams DO. 1988b. Toxic effects of benzene metabolites on mononuclear phagocytes. *Toxicol Appl Pharmacol* 92:246-254.
- *Lewis JG, Stewart W, Adams DO. 1988a. Role of oxygen radicals in induction of DNA damage by metabolites of benzene. *Cancer Res* 48:4762-4765.
- *Lewis RJ. 1993. Benzene. *Hawley's condensed chemical dictionary*. Twelfth Edition. 128-129.
- *Li G-L, Linet MS, Hayes RB, et al. 1994. Gender differences in hematopoietic and lymphoproliferative disorders and other cancer risks by major occupational group among workers exposed to benzene in China. *J Occup Med* 36(8):875-881.
- *Li G-L, Yin S-N, Watanabe T, et al. 1986. Benzene-specific increase in leukocyte alkaline phosphatase activity in rats exposed to vapors of various organic solvents. *J Toxicol Environ Health* 19:581-589.
- *Li G, Wang C, Xin W, et al. 1996. Tissue distribution of DNA adducts and their persistence in the blood of mice exposed to benzene. *Environ Health Perspect* 104(Suppl 6):1337-1338.
- *Li L, Sun W, Gong Z, et al. 1992. Effect of low benzene exposure on neurobehavioral function, AChE in blood and brain and bone marrow picture in mice. *Biomed Environ Sci* 5(4):349-354.
- *Li Q, Freed BM. 1996. Role of iron in hydroquinone- and catechol-induced inhibition of IL-2 dependent lymphoblast proliferation. *The Toxicologist* 30(1):4.
- *Li Q, Geiselhart L, Freed BM. 1995. Inhibitory effect of hydroquinone on IL-2 dependent cell proliferation. In: *Abstracts of the 34th annual meeting*. *The Toxicologist* 15(1):104-105.
- *Li Y, Kuppusamy P, Zweier JL, et al. 1995. ESR evidence for the generation of reactive oxygen species from the copper-mediated oxidation of the benzene metabolite, hydroquinone: role in DNA damage. *Chem Biol Interact* 94(2):101-120.
- *Lide DR, ed. 1990. *CRC Handbook of Chemistry and Physics*. 71 st ed. Ann Arbor, MI: CRC Press, Inc., 3-75.
- *Lin T-F, Little JC, Nazaroff WW. 1994. Transport and sorption of volatile organic compounds and water vapor within dry soil grains. *Environ Sci Technol* 28:322-330.

- *Lindstrom AB, Highsmith VR, Buckley TJ, et al. 1994. Gasoline-contaminated ground water as a source of residential benzene exposure: A case study. *Journal of Exposure Analysis and Environmental Epidemiology* 4(2): 183-195.
- *Linnet MS, Yin S-N, Travis LB, et al. 1996. Clinical features of hematopoietic malignancies and related disorders among benzene-exposed workers in China. *Environ Health Perspect* 104(Suppl 6): 1353-1364.
- *Lioy PJ, Pellizzari E. 1995. Conceptual framework for designing a national survey of human exposure. *Journal Of Exposure Analysis And Environmental Epidemiology* 1995 5(3):425-444.
- *Loden M. 1986. The *in vitro* permeability of human skin to benzene, ethylene glycol, formaldehyde, and n-hexane. *Acta Pharmacol Toxicol* 58:382-389.
- *Longacre SL, Kocsis JJ, Snyder R. 1981a. Influence of strain differences in mice on the metabolism and toxicity of benzene. *Toxicol Appl Pharmacol* 60:398-409.
- *Longacre SL, Kocsis JJ, Witmer CM, et al. 1981b. Toxicological and biochemical effects of repeated administration of benzene in mice. *J Toxicol Environ Health* 7:223-237.
- *Low LK, Lambert CE, Meeks JR. 1995. Tissue-specific metabolism of benzene in zymbal gland and other solid tumor target tissues in rats. *Journal Of The American College Of Toxicology* 14(1):40-60.
- *Low LK, Meeks JR, Norris KJ, et al. 1989. Pharmacokinetics and metabolism of benzene in Zymbal gland and other key target tissues after oral administration in rats. *Environ Health Perspect* 82:215-222.
- *Lowry WT, Juarez L, Petty CS, et al. 1985. Studies of toxic gas production during actual structural fires in the Dallas area. *J Forensic Sci* 30:59-72.
- *Lox C. 1995. Alterations in coagulant activity following exposure to industrial solvents a possible marker of toxic chemical induced pathogenesis. *Keystone Symposium On Molecular Toxicology, Copper Mountain, Colorado, USA, January 9-15, 1995. Journal Of Cellular Biochemistry Supplement; 0 (19a) 197.*
- *Ludwig RC, Eksteen R. 1988. LC column switching for the rapid analysis of benzene in unleaded gasoline. *LC-GC* 6:250-252.
- *Luke CA, Tice RR, Drew RT. 1988a. The effect of exposure regimen and duration on benzene-induced bone-marrow damage in mice: I. Sex comparison in DBA/2 mice. *Mutat Res* 203:251-271.
- *Luke CA, Tice RR, Drew RT. 1988b. The effect of exposure regimen and duration on benzene-induced bone marrow damage in mice: II. Strain comparisons involving B6C3F₁, C57BL/6 and DBA/2 male mice. *Mutat Res* 203:273-295.
- *Lumley M, Barker H, Murray JA. 1990. Benzene in petrol [letter; comment]. *Lancet* 336(8726):1318-1319.

- *Lunte SM, Lunte CE. 1990. Electroanalytical approaches to understanding benzene metabolism. *J Pharm Biomed Anal* 8(2):131-136.
- *Lutz WK, Schlatter CH. 1977. Mechanism of the carcinogenic action of benzene: Irreversible binding to rat liver DNA. *Chem-Biol Interact* 18:241-245.
- *Lyman WJ. 1982. Atmospheric residence time. In: Lyman WJ, Reehl WF, Rosenblatt DH, eds. *Handbook of chemical property estimation methods: Environmental behavior of organic compounds*. New York, NY: McGraw-Hill.
- *Lysyj I, Perkins G, Farlow JS. 1980. Trace analysis for aromatic hydrocarbons in natural waters. *Environ Int* 4:407-416.
- *MacEachem L, Laskin DL. 1992. Increased production of tumor necrosis factor- α by bone marrow leukocytes following benzene treatment of mice. *Toxicol Appl Pharmacol* 113(2):260-266.
- *MacEachem L, Snyder R, Laskin DL. 1992. Alterations in the morphology and functional activity of bone marrow phagocytes following benzene treatment of mice. *Toxicol Appl Pharmacol* 117(2):147-154.
- *Macintosh DL, Xue J, Ozkaynak H, et al. 1995. Population-based exposure model for benzene. *Journal Of Exposure Analysis And Environmental Epidemiology* 5(3):375-403.
- *Mackay D, Leinonen PJ. 1975. Rate of evaporation of low-solubility contaminants from water bodies to atmosphere. *Environ Sci Technol* 9:1178-1180.
- *Magos GA, Lorenzana-Jimenez M, Vidrio H. 1990. Toluene and benzene inhalation influences on ventricular arrhythmias in the rat. *Neurotoxicol Teratol* 12(2): 119-124.
- *Maibach HI, Anjo DM. 1981. Percutaneous penetration of benzene and benzene contained in solvents in the rubber industry. *Arch Environ Health* 36:256-260.
- *Major DW, Mayfield CI, Barker JF. 1988. Biotransformation of benzene by denitrification in aquifer sand. *Ground Water* 26:8-14.
- *Major J, Jakab M, Kiss G, et al. 1994. Chromosome aberration, sister-chromatid exchange, proliferative rate index, and serum thiocyanate concentration in smokers exposed to low-dose benzene. *Environ Mol Mutagen* 23: 137-142.
- *Major J, Kemeny G, Tompa A. 1992. Genotoxic effects of occupational exposure in the peripheral blood lymphocytes of pesticide preparing workers in Hungary. *Acta Med Hung* 49(1-2):79-90.
- *Malachowsky KJ, Phelps TJ, Teboli AB, et al. 1994. Aerobic mineralization of trichloroethylene, vinyl chloride, and aromatic compounds by *Rhodococcus* species. *Appl Environ Microbial* 60(2):542-548.
- *Maltoni C, Ciliberti A, Cotti G, et al. 1989. Benzene, an experimental multipotential carcinogen: Results of the long-term bioassays performed at the Bologna Institute of Oncology. *Environ Health Perspect* 82: 109- 124.

- *Maltoni C, Conti B, Cotti G. 1983. Benzene: A multipotential carcinogen: Results of long-term bioassays performed at the Bologna Institute of Oncology. *Am J Ind Med* 4:589-630.
- *Maltoni C, Conti B, Cotti G, et al. 1985. Experimental studies on benzene carcinogenicity at the Bologna Institute of Oncology: Current results and ongoing research. *Am J Ind Med* 7:415-446.
- *Maltoni C, Cotti G, Valgimigli L, et al. 1982a. Hepatocarcinomas in Sprague-Dawley rats following exposure to benzene by inhalation: First experimental demonstration. *Med Lav* 4:446-450.
- *Maltoni C, Cotti G, Valgimigli L, et al. 1982b. Zymbal gland carcinomas in rats following exposure to benzene by inhalation. *Am J Ind Med* 3: 1 1-1 6.
- *Mangino J, Jones JW. 1994. Mobile source hazardous air pollutant emissions in the Seattle-Tacoma Urban area. U. S. Department of Commerce. NTIS PB95-174660.
- *Manning BW, Adams DO, Lewis JG. 1994. Effects of benzene metabolites on receptor-mediated phagocytosis and cytoskeletal integrity in mouse peritoneal macrophages. *Toxicol Appl Pharmacol* 126(2):214-223.
- *Mannino DM, Schreiber J, Aldous K, et al. 1995. Human exposure to volatile organic compounds: a comparison of organic vapor monitoring badge levels with blood levels. *Int Arch Occup Environ Health* 67:59-64.
- *Marina ML, Garica MA, Pastor M, et al. 1995. A statistical study of the correlation between k' or $\log k'$ and $\log P$, for a group of benzene and naphthalene derivatives in micellar liquid chromatography using a C-18 column. *Chromatographia* 40(3/4): 185- 191.
- *Mattie DR, Bates G D JR, Jepson GW, et al. 1994. Determination of skin:air partition coefficients for volatile chemicals: experimental method and applications. *Fundamental Applied Toxicology* 22(1):51-57.
- *Mayer GJ, Cheng IS, Pau P, et al. 1994. Emissions of air toxics from wastewater treatment plants. *Water Environ Res* 66:140-144.
- *McAllister PM, Chiang CY. 1994. A practical approach to evaluating natural attenuation of contaminants in ground water. *Ground Water Monitoring and Remediation* 14:161-173.
- *McDonald TA, Yeowell-O'Connell K, Rappaport SM. 1994. Comparison of protein adducts of benzene oxide and benzoquinone in the blood and bone marrow of rats and mice exposed to [$^{14}\text{C}/^{13}\text{C}_6$] benzene. *Cancer Res* 54:4907-4914.
- *McDougal JN, Jepson GW, Clewell HJ III, et al. 1990. Dermal absorption of organic-chemical vapors in rats and humans. *Fund Appl Toxicol* 14:299-308.
- *McMahon TF, Birnbaum LS. 1991. Age-related changes in disposition and metabolism of benzene in male C57BL/6N mice. *Drug Metab Dispos* 19(6):1052-1057.

8. REFERENCES

- *McMahon TF, Medinsky MA, Bimbaum LS. 1994. Age-related changes in benzene disposition in male C57BL/6N mice described by a physiologically based pharmacokinetic model. *Toxicol Lett* 74(3):241-253.
- *McMurry ST, Lochmiller RL, Vestey MR, et al. 1991. Acute effects of benzene and cyclophosphamide exposure on cellular and humoral immunity of cotton rats, *Sigmodon hispidus*. *Bull Environ Contam Toxicol* 46(6):937-945.
- *McMurry ST, Lochmiller RL, Vestey MR, et al. 1994a. Cellular immune responses of nutritionally stressed juvenile cotton rats (*Sigmodon hispidus*) during acute benzene exposure. *Arch Environ Contam Toxicol* 27(1):14-19.
- *McMurry ST, Lochmiller RL, Vestey MR, et al. 1994b. Immunological responses of weanling cotton rats (*Sigmodon hispidus*) to acute benzene and cyclophosphamide exposure. *Bull Environ Contam Toxicol* 52(1):155-162.
- *McNeal TP, Nyman PJ, Diachenko GW, et al. 1993. Survey of benzene in foods by using headspace concentration techniques and capillary gas chromatography. *Journal of AOAC International* 76:1213-1219.
- *Medinsky M A. 1995. The application of physiologically based pharmacokinetic-pharmacodynamic (PBPK-PD) modeling to understanding the mechanism of action of hazardous substances. *Toxicology Letters* 79:185-191.
- *Medinsky MA, Kenyon E, Seaton MJ, et al. 1996. Mechanistic considerations in benzene physiological model development. *Environ Health Perspect* 104 (Suppl 6):1399-1404.
- *Medinsky MA, Sabourin PJ, Henderson RF, et al. 1989b. Differences in the pathways for metabolism of benzene in rats and mice simulated by a physiological model. *Environ Health Persp* 82:43-49.
- *Medinsky MA, Sabourin PJ, Lucier G, et al. 1989a. A physiological model for simulation of benzene metabolism by rats and mice. *Toxicol Appl Pharmacol* 99:193-206.
- *Medinsky MA, Sabourin PJ, Lucier G, et al. 1989c. A toxicokinetic model for simulation of benzene metabolism. *Exp. Pathol.* 37:150-154.
- *Melikian AA, Prahalad AK, Hoffmann D. 1993. Urinary *trans,trans*-muconic acid as an indicator of exposure to benzene in cigarette smokers. *Cancer Epidemiol Biomarkers Prev* 2(1):47-51.
- *Melikian AA, Prahalad AK, Seeker-Waker RH. 1994. Comparison of the levels of the urinary benzene metabolite *trans,trans*-muconic acid in smokers and nonsmokers, and the effects of pregnancy. *Cancer Epidemiology* 3:239-244.
- *Merck Index. 1989. Merck index: an encyclopedia of chemicals, drugs, and biologicals. 11th ed. Budavari S, ed. Rahway NJ: Merck & Co., Inc.
- *Meyne J, Legator MS. 1980. Sex-related differences in cytogenetic effects of benzene in the bone marrow of Swiss mice. *Environ Mutagen* 2:43-50.

- *Michael LC, Erickson MD, Parks SP, et al. 1980. Volatile environmental pollutants in biological matrices with a headspace purge technique. *Anal Chem* 52: 1836-1841.
- *Michael LC, Pellizzari ED, Wiseman RW. 1988. Development and evaluation of a procedure for determining volatile organics in water. *Environ Sci and Technol* 22:565-570.
- *Michon S. 1965. [Disturbances of menstruation in women working in an atmosphere polluted with aromatic hydrocarbons.] *Pol Tyg Lek* 20:1648-1649. (Polish)
- *Midzenski MA, McDiarmid MA, Rothman N, et al. 1992. Acute high dose exposure to benzene in shipyard workers. *Am J Ind Med* 22:553-565.
- *Mikesell L MD, Kukor JJ, Olsen RH. 1993. Metabolic diversity of aromatic hydrocarbon-degrading bacteria from a petroleum-contaminated aquifer. *Biodegradation* 4(4):249-259.
- *Miller AC, Schattenberg DG, Malkinson AM, et al. 1994. Decreased content of the α processing enzyme calpain in murine bone marrow-derived macrophages after treatment with the benzene metabolite hydroquinone. *Toxicol Lett* 74 (2): 177-184.
- *Miller MM, Wasik SP, Huang G-L, et al. 1985. Relationships between octanol-water partition coefficients and aqueous solubility. *Environ Sci Technol* 19:522-529.
- *Mills NE, Hayes RB, Fishman CL, et al. 1994. Ras mutations in Chinese patients with benzene-associated and de novo acute leukemia. Abstracts Submitted To The 36th Annual Meeting Of The American Society Of Hematology, Nashville, Tennessee, USA, December 2-6, 1994. *Blood* 84(10 Suppl. 1) 47a.
- *Moen BE, Hollund BE, Berntsen M, et al. 1995a. Occupational exposure of deck crews to carcinogenic agents on crude oil tankers. *American Journal Of Industrial Medicine* 27(4): 555-564.
- *Moen BE, Hollund BE, Berntsen M, et al. 1995b. Exposure of the deck crew to carcinogenic agents on oil product tankers. *Ann Occup Hyg* 39 (3):347-361.
- *Moeschlin S, Speck B. 1967. Experimental studies on the mechanism of action of benzene on the bone marrow (radioautographic studies using ^3H -thymidine). *Acta Haematol* 38: 104-111.
- *Money CD, Gray CN. 1989. Exhaled breath analysis as a measure of workplace exposure to benzene ppm. *Ann Occup Hyg* 33:257-262.
- *Morikawa M, Imanaka T. 1993. Isolation of a new mixotrophic bacterium which can fix CO_2 and assimilate aliphatic and aromatic hydrocarbons anaerobically. *J Ferment Bioengin* 76(4):280-283.
- *Morimoto K. 1976. Analysis of combined effects of benzene with radiation on chromosomes in cultured human leukocytes. *Jpn J Ind Health* 18:23-34.
- *Morimoto K. 1983. Induction of sister chromatid exchanges and cell division delays in human lymphocytes by microsomal activation of benzene. *Cancer Res* 43:1330-1334.

- *Morimoto K, Wolff S, Koizumi A. 1983. Induction of sister-chromatid exchanges in human lymphocytes by microsomal activation of benzene metabolites. *Mutat Res* 119:355-360.
- *Mukhametova IM, Vozovaya MA. 1972. [Reproductive power and the incidence of gynecological affections in female workers exposed to the combined effect of benzene and chlorinated hydrocarbons.] *Gig Tr Prof Zabol* 16:6-9. (Russian)
- *Mullin AH, Rando R, Esmundo F, et al. 1995. Inhalation of benzene leads to an increase in the mutant frequencies of a lacZ transgene in lung and spleen tissues of mice. *Mutat Res* 327:121-129.
- *Murray FJ, John JA, Rampy LW, et al. 1979. Embryotoxicity of inhaled benzene in mice and rabbits. *Am Ind Hyg Ass J* 40:993-998.
- *Mushrush GW, Mose DG, Sullivan KT. 1994. Soil vapor and groundwater analysis from a recent oil spill. *Bull Environ Contam Toxicol* 52:31-38.
- *Naft BN. 1992. Removing Benzene from Wastewater. *Environ Protect* 3(2):47-54.
- *Nahum LH, Hoff HE. 1934. The mechanism of sudden death in experimental acute benzol poisoning. *J Pharmacol Exp Ther* 50:336-345.
- *Nakajima T, Okino T, Sato A. 1987. Kinetic studies on benzene metabolism in rat liver-possible presence of three forms of benzene metabolizing enzymes in the liver. *Biochem Pharmacol* 36:2799-2804.
- *Nakajima T, Okuyama S, Yonekura I, et al. 1985. Effects of ethanol and phenobarbital administration on the metabolism and toxicity of benzene. *Chem-Biol Interact* 55:23-38.
- *NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.
- *NAS/NRC. 1993. Compilation of Current EEGLs and CEGLs. Nuclear Regulatory Commission and National Academy of Science.
- *NATICH 1990. NATICH Data Base Report of Federal, State, and Local Air Toxics Activities. Table 4-1. Acceptable Ambient Concentration Guidelines or Standards. U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. Washington, DC. September 17, 1990.
- *Nerland DE, Pierce WM Jr. 1990. Identification of N-acetyl-S-(2,5-dihydroxyphenyl)-L-cysteine as a urinary metabolite of benzene, phenol, and hydroquinone. *Drug Metab Dispos* 18(6):958-961.
- *NESCAUM. 1989. Evaluation of the health effects from exposure to gasoline and gasoline vapors. Final Report. Northeast States for Coordinated Air Use Management, Air Toxics Committee. 3-1 - 3-16, 5-1 - 5-33.
- *Nesnow S, Argus M, Bergman H, et al. 1986. Chemical carcinogens: A review and analysis of the literature of selected chemicals and the establishment of the gene-tox carcinogen data base. *Mutat Res* 185:1-195.

- *Neun DJ, Penn A, Snyder CA. 1992. Evidence for strain-specific differences in benzene toxicity as a function of host target cell susceptibility. *Arch Toxicol* 66(1):11-17.
- *Neun DJ, Penn A, Snyder CA. 1994. Erythroid progenitor cells that survive benzene exposure exhibit greater resistance to the toxic benzene metabolites benzoquinone and hydroquinone. *Arch Toxicol* 68:535-540.
- NFPA. 1994. Benzene. Fire Protection guide to hazardous materials. 11th edition. National Fire Protection Association. One Batterymarch Park, Quincy, MA.
- *Niculescu R, Kalf GF. 1995. A morphological analysis of the short-term effects of benzene on the development of the hematological cells in the bone marrow of mice and the effects of interleukin-1 alpha on the process. *Arch Toxicol* 69(3):141-148.
- *Nielsen PH, Bjerg PL, Nielsen P, et al. 1996. *In situ* and laboratory determined first-order degradation rate constants of specific organic compounds in an aerobic aquifer. *Environ Sci Technol* 30:31-37.
- *Ning H, Kado NY, Kuzmicky PA, et al. 1991. Benzene-induced micronuclei formation in mouse fetal liver blood, peripheral blood, and maternal bone marrow cells. *Environ Mol Mutagen* 18(1):1-5.
- *NIOSH. 1974. Criteria for a recommended standard. Occupational exposure to benzene. Washington, DC: U.S. Department of Health, Education, and Welfare, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NIOSH 74-137.
- *NIOSH. 1984. NIOSH manual of analytical methods, Vol. 2, 3rd ed. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, 1500-1 - 1501-7.
- *NIOSH. 1987. NIOSH manual of analytical methods, Vol. 1, 3rd ed. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, 3700-1 - 3700-3.
- *NIOSH. 1988. Occupational safety and health guideline for benzene: Potential human carcinogen Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, Division of Standards Development and Technology Transfer. NIOSH publication no. 89-104, Supp. II.
- *NIOSH 1989. National Occupational Exposure survey 1981-83. U.S. Department of Health and Human Services. National Institute for Occupational Safety and Health, Cincinnati, OH.
- *NIOSH. 1990. NIOSH pocket guide to chemical hazards. Washington, DC: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. DHHS (NIOSH) publication no. 90-117.
- *NIOSH. 1992. NIOSH Recommendations for Occupational Safety and Health: Compendium of Policy Documents and Statements. Table 1. NIOSH Recommended Safety and Health Standards for Hazardous Agents in the Workplace.

- *NOAA. 1994. Natural Resource Damage Assessments: Proposed Rule. National Oceanic and Atmospheric Administration. 59 FR 1062.
- *NOES. 1990. National Occupational Exposure Survey 1981-83. U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, Cincinnati, OH. July 1, 1990.
- *Nojima K, Fukaya K, Fukui S, et al. 1975. Studies on photochemistry of aromatic hydrocarbons: II. The formation of nitrophenols and nitrobenzene by the photochemical reaction of benzene in the presence of nitrogen monoxide. *Chemosphere* 2:77-82.
- *Nomiya K, Nomiya H. 1974a. Respiratory retention, uptake and excretion of organic solvents in man: Benzene, toluene, n-hexane, trichloroethylene, acetone, ethyl acetate and ethyl alcohol. *Int Arch Arbeitsmed* 32:75-83.
- *Nomiya K, Nomiya H. 1974b. Respiratory elimination of organic solvents in man: Benzene, toluene, n-hexane, trichloroethylene, acetone, ethyl acetate and ethyl alcohol. *Int Arch Arbeitsmed* 32:85-91.
- *Norpoth KH, Mtiller G, Schell CH et al. 1996. Phenylguanine found in urine after benzene exposure. *Environ Health Perspect* 104 (Suppl 6): 1159-1163.
- *Norpoth K, Stuker W, Krewet E, et al. 1988. Biomonitoring of benzene exposure by trace analyses of phenylguanine. *Int Arch Occup Environ Health* 60:163-168.
- *Norwalk CK, Howland MA. 1994. Hydrocarbons. In: Goldfrank's Toxicologic Emergencies, 5th ed. 1231-1244.
- *NRC. 1980a. Drinking water and health. Vol. 3. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press, 70, 80-86.
- *NRC. 1986. Emergency and continuous exposure guidance levels for selected airborne contaminants. Vol 6. Washington, DC: National Research Council, National Academy Press, 7-33
- *NREPC. 1986. Proposed Regulation. Frankfort, KY: Department for Environmental Protection, Natural Resources and Environment Protection Cabinet. 401 KAR 63:021.
- *NREPC. 1988. Kentucky Waste Management Regulations. Frankfort, KY: Department for Environmental Protection, Natural Resources and Environment Protection Cabinet. 401 KAR 31:040.
- *NTP. 1986. National Toxicology Program--technical report series no. 289. Toxicology and carcinogenesis studies of benzene (CAS No. 71-43-2) in F344/N rats and B6C3F₁ mice (gavage studies). Research Triangle Park, NC: U.S. Department of Health and Human Services;Public Health Service, National Institute of Health. NIH publication no. 86-2545.
- *NTP. 1994. Seventh Annual Report on Carcinogens: 1994 Summary. National Toxicology Program. Benzene. USDHHS PHS.
- NTP 1995. Management Status Report. Printed long-term technical reports and short-term toxicity study reports. NTP Division of Toxicological Research and Testing

- *Nutmagul W, Cronn DR. 1985. Determination of selected atmospheric aromatic hydrocarbons at remote continental and oceanic locations using photoionization/flame-ionization detection. *J Atmos Chem* 2:415-433.
- *O'Bryan TR, Ross RH. 1988. Chemical scoring system for hazard and exposure identification. *J Toxicol Environ Health* 1: 119- 134.
- *Oberly TJ, Bewsey BJ, Probst GS. 1984. An evaluation of the L5178Y TK+P mouse lymphoma forward mutation assay using 42 chemicals. *Mutat Res* 125:291-306.
- *Ogata M, Fujisawa K, Ogino Y, et al. 1984. Partition coefficients as a measure of bioconcentration potential of crude oil compounds in fish and shellfish. *Bull Environ Contam Toxicol* 33:561-567.
- *Ogata M, Taguchi T. 1987. Quantitation of urinary metabolites of toluene, xylene, styrene, ethylbenzene, benzene and phenol by automated high performance liquid chromatography. *Int Arch Occup Environ Health* 59:263-272.
- *OHM/TADS 1990. Oil and Hazardous Materials/Technical Assistance Data System. Chemical Information Systems, Inc. Baltimore, MD.
- *Olsen J. 1983. Organic solvents as possible risk factors of low birthweight. *J Occup Med* 25:854-855.
- *Olsen RH, Mikesell MD, Kukor JJ. 1994. Enumeration and characterization of btex-degrading bacteria from hypoxic environments functional with mixed electron acceptors. *Res microbial* 145(1):47-49.
- *Ong CN, Kok PW, Lee BL, et al. 1995. Evaluation of biomarkers for occupational exposure to benzene. *Occup Environ Med* 52 (8):528-533.
- *Ong CN, Lee BL. 1994. Determination of benzene and its metabolites: application in biological monitoring of environmental and occupational exposure to benzene. *J Chromatogr B Biomed Appl* 660 (1):1-22.
- *Orzechowski A, Schwarz L R, Schwegler U et al. 1995. Benzene metabolism in rodent hepatocytes: role of sulphate conjugation. *Xenobiotica* 25(10):1093-1102.
- *OSHA. 1974. Table 2-2. Occupational Safety and Health Standards. Air Contaminants. U.S. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000.
- *OSHA. 1976. Permissible Exposure Limit. Occupational Safety and Health Standards. Coke Oven Emissions. U.S. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1029(c).
- *OSHA. 1977. Final environmental impact statement: Benzene. Washington, DC: U.S. Department of Labor, Occupational Safety and Health Administration. Federal Register 42:22516-22529, 27460-27464.

- *OSHA. 1985. Occupational exposure to benzene. Proposed rule and notice of hearing. U.S. Department of Labor, Occupational Safety and Health Administration. Federal Register 50505 12-505 17, 50540, 50528-50529, 50577-50582.
- *OSHA. 1987a. Benzene. U.S. Department of Labor. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1028.
- *OSHA. 1987b. Occupational exposure to benzene. Final Rule. Federal Register 52:34460-34578.
- *OSHA. 1989. Air contaminants. Final rule. Occupational Safety and Health Administration. Federal Register 54:2332-2960.
- *OSHA. 1990. National Research Council Recommendations Concerning Chemical Hygiene in Laboratories (Non-Mandatory). Occupational Safety and Health Standards. U.S. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1450, Appendix A.
- OSHA. 1994. Respiratory Protection. Occupational Safety and Health Administration. 59 FR 58884.
- *Ott MG, Townsend JC, Fishbeck WA, et al. 1978. Mortality among workers occupationally exposed to benzene. Arch Environ Health 33:3-10.
- *Page BD, Conacher HBS, Salminen J, et al. 1993. Survey of bottled drinking water sold in Canada. II. Selected volatile organic compounds. J Assoc Off Anal Chem Int 76:26-31.
- *Pagnotto LD, Elkins HB, Brugsch HG, et al. 1961. Industrial benzene exposure from petroleum naphtha: I. Rubber coating industry. Am Ind Hyg Assoc J 22:417-421.
- *Painter RB, Howard R. 1982. The HeLa DNA-synthesis inhibition test as a rapid screen for mutagenic carcinogens. Mutat Res 92:427-437.
- *Pandya KP, Rao GS, Khan S, et al. 1990. Accumulation of low molecular weight (bleomycin detectable) iron in bone marrow cells of rats after benzene exposure. Arch Toxicol 64(4):339-342.
- *Parke DV. 1989. Introduction: Session on metabolism. Environ Health Perspect 82:7-8.
- *Parke DV, Williams RT. 1953b. Studies in Detoxification 54. The metabolism of benzene. (a) The formation of phenylglucuronide & phenylsulphuric acid from [¹⁴C] benzene (b) the metabolism of [¹⁴C₁]phenol. Biochem J 54:337-340.
- *Parke DV, Williams RT. 1953a. Studies in detoxication. 49. The metabolism of benzene containing [¹⁴C₁] benzene. Biochem J 54:231-238.
- *Pate CT, Atkinson R, Pitts JN Jr. 1976. The gas phase reaction of O₃ with a series of aromatic hydrocarbons. J Environ Sci Health AII: 1-10.
- *Pathak DN, Levay G, Bode11 WJ. 1995. DNA adduct formation in the bone marrow of B6C3F₁ mice treated with benzene. Carcinogenesis 16(8): 1803- 1808.

- *Patil SF, Lonkar ST. 1992. Thermal desorption-gas chromatography for the determination of benzene, aniline, nitrobenzene and chlorobenzene in workplace air [published erratum appears in J Chromatogr 1992 Nov 20;625(2):402]. J Chromatogr 600(2):344-351.
- *Paustenbach DJ, Price PS, Ollison W, et al. 1992. Reevaluation of benzene exposure for the Pliofilm (rubberworker) cohort (1936-1976). J Toxicol Environ Health 36(3):177-231.
- *Pawar SS, Mungikar AM. 1975. Changes in the activities of hepatic drug metabolizing enzymes and lipid peroxidation caused by benzene and toluene. Indian J Biochem Biophys 12:133-134.
- *Paxman D, Rappaport SM. 1990. Analysis of OSHA's short-term-exposure limit for benzene. Regul Toxicol Pharmacol 11(3):275-287.
- *Paxton MB. 1996. Leukemia risk associated with benzene exposure in the pliofilm cohort. Environ Health Perspect 104 (Suppl 6):1431-1436.
- *Paxton MB, Chinchilli VM, Breet SM, et al. 1994a. Leukemia risk associated with benzene exposure in the pliofilm cohort: I. mortality update and exposure distribution. Risk Analysis 14(2):147-154.
- *Paxton MB, Chinchilli VM, Brett SM, et al. 1994b. Leukemia risk associated with benzene exposure in the pliofilm cohort. II. risk estimates. Risk Anal 14(2):155-161.
- *Pekari K, Riekkola M-L, Aitio A. 1989. Simultaneous determination of benzene and toluene in blood using head-space gas chromatography. J Chromatogr 491:309-320.
- *Pekari K, Vainiotalo S, Heikkila P, et al. 1992. Biological monitoring of occupational exposure to low levels of benzene. Stand J Work Environ Health 18(5):317-322.
- *Pellack-Walker P, Blumer JL. 1986. DNA damage in L5178YS cells following exposure to benzene metabolites. Mol Pharmacol 30:42-47.
- *Pellizzari ED, Liroy P, Quackenboss J, et al. 1995. Population-based exposure measurements in EPA region 5: a phase I field study in support of the national human exposure assessment survey. Journal Of Exposure Analysis and Environmental Epidemiology 15(3):327-358.
- *Pellizzari ED. 1982. Analysis for organic vapor emissions near industrial and chemical waste disposal sites. Environ Sci Technol 16:781-785.
- *Pellizzari ED, Zweidinger RA, Sheldon LS. 1988. Determination of benzene, toluene and xylene in breath samples by gas chromatography/mass spectrometry. In: Fishbein L, O'Neill JK, eds. Environmental carcinogens method of analysis and exposure measurement: Vol. I-benzene and alkylated benzene. IARC Scientific Publication No. 85. Lyons, France: World Health Organization, International Agency for Research on Cancer, 267-279.
- *Perbellini L, Faccini GB, Pasini F, et al. 1988. Environmental and occupational exposure to benzene by analysis of breath and blood. Br J Ind Med 45:345-352.

- *Pereira WE, Hughes BA. 1980. Determination of selected volatile organic priority pollutants in water by computerized gas chromatography-quadrupole mass spectrometry. *J Am Water Works Assoc* 72:220-230.
- *Philip P, Jensen MK. 1970. Benzene induced chromosome abnormalities in rat bone marrow cells. *Acta Pathol Microbial Stand Sect A* 78:489-490.
- *Picciano D. 1979. Cytogenetic study of workers exposed to benzene. *Environ Res* 19:33-38.
- *Plappert U, Barthel E, Raddatz K, et al. 1994a. Early effects of benzene exposure in mice. haematological versus genotoxic effects. *Arch Toxicol* 68:284-290.
- *Plappert U, Barthel E, Seidel HJ, et al. 1994b. Reduction of benzene toxicity by toluene. *Environ Mol Mutagen* 24:283-292.
- *Plumb RH Jr. 1987. A comparison of groundwater monitoring data from CERCLA and RCRA sites. *Ground Water Monit Rev* 7:94-100.
- *Poole SK, Furton KG, Poole CF. 1988. Determination of benzene and toluene in gasoline by gas chromatography using a liquid organic salt column. *J Chromatogr Sci* 26:67-73.
- *Popp W, Rauscher D, Muller G, et al. 1994. Concentrations of benzene in blood and s-phenylmercapturic and t,t-muconic acid in urine in car mechanics. *Int Arch Occup Environ Health* 1994 66(1):1-6.
- *Popp W, Vahrenholz C, Yaman S, et al. 1992. Investigations of the frequency of DNA strand breakage and cross-linking and of sister chromatid exchange frequency in the lymphocytes of female workers exposed to benzene and toluene. *Carcinogenesis* 13(1):57-61.
- *Post GB, Snyder R, Kalf GF. 1985. Inhibition of RNA synthesis and interleukin-2 production in lymphocytes *in vitro* by benzene and its metabolites, hydroquinone and p-benzoquinone. *Toxicol Lett* 29:161-167.
- *Preston WD. 1986. Executive Summary. In: *Benzene in Florida groundwater: An assessment of the significance to human health*. Tallahassee, FL: Florida Petroleum Council, American Petroleum Institute.
- *Probst GS, Hill LE. 1985. Tests for the induction of DNA-repair synthesis in primary cultures of adult rat hepatocytes. *Progress in Mutation Research* 5:381-386.
- *Punjabi CJ, Laskin JD, Hwang SM, et al. 1994. Enhanced production of nitric oxide by bone marrow cells and increased sensitivity to macrophage colony-stimulating factor (csf) and granulocyte-macrophage csf after benzene treatment of mice. *Blood* Jun 1 1994 83(11):3255-3263.
- *Purcell KJ, Cason GH, Gargas ML, et al. 1990. *In vivo* metabolic interactions of benzene and toluene. *Toxicol Lett* 52(2):141-152.
- *Purcell WP. 1978. Benzene. In: Grayson M, Eckroth D, eds. *Kirk-Othmer Encyclopedia of Chemical Technology*. 3rd ed. Vol. 3. New York, NY: John Wiley and Sons, 744-771.

- *Raabe GK, Wong O. 1996. Leukemia mortality by cell type in petroleum workers with potential exposure to benzene. *Environ Health Perspect* 104 (Suppl 6): 1381-1392.
- *Rajganesh B, Selvaraj PT, Manning FS, et al. 1995. Biotreatment of produced water for removal of sulfides, organics, and toxicity. *Appl Biochem Biotech* 51/52:735-746.
- *Ramsey JC, Andersen ME. 1984. A physiologically based description the inhalation pharmacokinetics of styrene in rats and humans. *Toxicol Appl Pharmacol* 73: 159-175.
- *Rae GS. 1991. Hematin catalyzed autoxidation of hydroquinone or 1,2,4-benzenetriol. *Chem Biol Interactions* 80:339-347.
- *Rao GS. 1996. Glutathionyl hydroquinone: a potent pro-oxidant and a possible toxic metabolite of benzene. *Toxicology* 106:49-54.
- *Rae GS, Pandya KP. 1989. Release of 2-thiobarbituric acid reactive products from glutamate or deoxyribonucleic acid by 1,2,4-benzenetriol or hydroquinone in the presence of copper ions. *Toxicology* 59: 59-65.
- *Rae RR, Snyder R. 1995. Oxidative modifications produced in HL-60 cells on exposure to benzene metabolites. *J Appl Toxicol* 15(5):403-409.
- *Rauscher D, Lehnert G, Angerer J. 1994. Biomonitoring of occupational and environmental exposures to benzene by measuring trans,trans-muconic acid in urine. *Clin Chem* 40:1468-1470.
- *Reddy MV, Blackburn GR, Irwin SE, et al. 1989a. A method for *in vitro* culture of rat Zymbal gland: Use in mechanistic studies of benzene carcinogenesis in combination with ³²P-postlabeling. *Environ Health Perspect* 82:239-247.
- *Reddy MV, Blackburn GR, Schreiner CA, et al. 1989b. 32P Analysis of DNA adducts in tissues of benzene-treated rats. *Environ Health Perspect* 82:253-257.
- *Reddy, MR, Schultz SC, Blackburn GR, et al. 1994. Lack of DNA adduct formation in mice treated with benzene. *Mutat Res* 325(4): 149-155.
- *Reineke FJ, Bachmann K. 1985. Gas chromatographic determination of C₂-C₈ hydrocarbons and halocarbons in ambient air by simultaneous use of three detectors. *J Chromatogr* 323:323-329.
- *Reisch MS. 1992. Top 50 chemicals production stagnated last year. *Chemical and Engineering News* April 13: 16-20.
- *Reisch MS. 1993. Top 50 chemicals production recovered last year. *Chemical and Engineering News* April 12: 10-13.
- *Reisch MS. 1994. Top 50 chemicals production rose modestly last year. *Chemical and Engineering News* April 11:12-15.

8. REFERENCES

- *Renz JF, Kalf GF. 1991. Role for interleukin-1 (IL-1) in benzene-induced hematotoxicity: inhibition of conversion of pre-IL-1 alpha to mature cytokine in murine macrophages by hydroquinone and prevention of benzene-induced hematotoxicity in mice by IL-1 alpha. *Blood* 78(4):938-944.
- *Rickert DE, Baker TS, Bus JS, et al. 1979. Benzene disposition in the rat after exposure by inhalation. *Toxicol Appl Pharmacol* 49:417-423.
- *Rinsky RA, Homung RW, Landrigan PJ, et al. 1989. Re: "Benzene and leukemia: A review of the literature and a risk assessment." *Am J Epidemiol* 129:1084-1086.
- *Rinsky RA, Smith AB, Homung R, et al. 1987. Benzene and leukemia: An epidemiological risk assessment. *N Eng J Med* 316:1044-1050.
- *Rinsky RA, Young RJ, Smith AB. 1981. Leukemia in benzene workers. *Am J Ind Med* 2:217-245.
- *Rithidech K, Au WW, Sadagopa Ramanujam VM, et al. 1987. Induction of chromosome aberrations in lymphocytes of mice after subchronic exposure to benzene. *Mutat Res* 188:135-140.
- *Rithidech K, Au WW, Ramanujam VMS, et al. 1988. Persistence of micronuclei in peripheral blood normochromatic erythrocytes of subchronically benzene-treated male mice. *Environ Mol Mutagen* 12:319-329.
- *Roberts JM, Fehsenfeld FC, Liu SC, et al. 1984. Measurements of aromatic hydrocarbon ratios and NO_x concentrations in the rural troposphere: Observation of air mass photochemical aging and NO_x removal. *Atmos Environ* 18:2421-2432.
- *Roberts JM, Hutte RS, Fehsenfeld FC, et al. 1985. Measurements of anthropogenic hydrocarbon concentration ratios in the rural troposphere: Discrimination between background and urban sources. *Atmos Environ* 19: 1945-1950.
- *Robertson ML, Eastmond DA, Smith MT. 1991a. Two benzene metabolites, catechol and hydroquinone, produce a synergistic induction of micronuclei and toxicity in cultured human lymphocytes. *Mutat Res* 249(1):201-210.
- *Robertson ML, Zhang L, Smith MT. 1991b. Induction of micronuclei by the benzene metabolite 1,2,4- benzenetriol in human lymphocytes and HL-60 cells. *Environ Mol Mutagen* 17 (Suppl 19):61-62. (Abstract)
- *Rosenstock L, Cullen M. 1994. Textbook of clinical occupational and environmental medicine. WB Saunders Co. Philadelphia, PA. 562-564.
- *Rosenthal GJ, Snyder CA. 1985. Modulation of the immune response to *Listeria rnonocytogenes* by benzene inhalation. *Toxicol Appl Pharmacol* 80:502-510.
- *Rosenthal GJ, Snyder CA. 1987. Inhaled benzene reduces aspects of cell-mediated tumor surveillance in mice. *Toxicol Appl Pharmacol* 88:35-43.

- *Ross D, Siegel D, Schattenberg D. 1996a. Cell-specific activation and detoxification of benzene metabolites in mouse and human bone marrow: Identification of target cells and a potential role for modulation of apoptosis in benzene toxicity. *Environ Health Perspect* 104 (Suppl 6): 1177-1182.
- *Ross D, Siegel D, Schattenberg DG et al. 1996b. Cell-specific metabolism in benzene toxicity. A metabolic basis for benzene-induced toxicity at the level of the progenitor cell in human bone marrow. *The Toxicologist* 30(1):339.
- *Rothman N, Smith MT, Hayes RB, et al. 1996. An epidemiological study of early biologic effects in Chinese workers. *Environ Health Perspect* 104 (Suppl 6):1365-1370.
- *Rothman N, Haas R, Hayes RB, et al. 1995. Benzene induces gene-duplicating but not gene-inactivating mutations at the glycophorin A locus in exposed humans. *Proc Natl Acad Sci* 92:4069-4073.
- *Roush GJ, Ott MG. 1977. A study of benzene exposure versus urinary phenol levels. *Am Ind Hyg Assoc J* 38:67-75.
- *Rozen MG, Snyder CA. 1985. Protracted exposure of C57BL/6 mice to 300 ppm benzene depresses B- and T-lymphocyte numbers and mitogen responses. Evidence for thymic and bone marrow proliferation in response to the exposures. *Toxicology* 37:13-26.
- *Rozen MG, Snyder CA, Albert RE. 1984. Depression in B- and T-lymphocyte mitogen-induced blastogenesis in mice exposed to low concentrations of benzene. *Toxicol Lett* 20:343-349.
- *Ruiz MA, August LGS, Vassallo J, et al. 1994. Bone marrow morphology in patients with neutropenia due to chronic exposure to organic solvents (benzene): early lesions. *Path Res Pract* 190:151-154.
- *Ruiz MA, Vassallo J, De Souza CA. 1991. Morphologic study of the bone marrow of neutropenic patients exposed to benzene of the metallurgical industry of Cubatao, Sao Paulo, Brazil [letter]. *J Occup Med* 33(1):83.
- *Ruppert T, Scherer G, Tricker AR, et al. 1995. Determination of urinary *trans*, *trans*-muconic acid by gas chromatography-mass spectrometry. *J Chromatogr B* 666:71-76.
- *Rushmore T, Snyder R, Kalf G. 1984. Covalent binding of benzene and its metabolites to DNA in rabbit bone marrow mitochondria *in vitro*. *Chem-Biol Interact* 49:133-154.
- *Rushton L. 1996. Benzene exposure in the petroleum distribution industry associated with leukemia in the United Kingdom: Overview of the methodology of a case-control study. *Environ Health Perspect* 104 (Suppl 6):1371-1374.
- *Sabourin PJ, Bechtold WE, Birnbaum LS, et al. 1988. Differences in the metabolism and disposition of inhaled [³H]benzene by F344/N rats and B6C3F₁ mice. *Toxicol Appl Pharmacol* 94:128-140.
- *Sabourin PJ, Bechtold WE, Griffith WC, et al. 1989a. Effect of exposure concentration, exposure rate, and route of administration on metabolism of benzene by F344 rats and B6C3F₁ mice. *Toxicol Appl Pharmacol* 99:421-444.

- *Sabourin PJ, Chen BT, Lucier G, et al. 1987. Effect of dose on the absorption and excretion of [¹⁴C]benzene administered orally or by inhalation in rats and mice. *Toxicol Appl Pharmacol* 87:325-336.
- *Sabourin PJ, Muggenburg BA, Couch RC, et al. 1992. Metabolism of [¹⁴C]benzene by cynomolgus monkeys and chimpanzees. *Toxicol Appl Pharmacol* 114(2):277-284.
- *Sabourin PJ, Sun JD, Bimbaum LS, et al. 1989b. Effect of repeated benzene inhalation exposures on subsequent metabolism of benzene. *Exp Pathol* 37: 155-157.
- *Sabourin PJ, Sun JD, MacGregor JT, et al. 1990. Effect of repeated benzene inhalation exposures on benzene metabolism, binding to hemoglobin, and induction of micronuclei. *Toxicol Appl Pharmacol* 103:452-462.
- *Saito FU, Kocsis JJ, Snyder R. 1973. Effect of benzene on hepatic drug metabolism and ultrastructure. *Toxicol Appl Pharmacol* 26:209-217.
- *Salanitro JP. 1993. The role of bioattenuation in the management of aromatic hydrocarbon plumes in aquifers. *Ground Water Monitoring and Remediation* 13: 150-161.
- *Sammatt D, Lee EW, Kocsis JJ, et al. 1979. Partial hepatectomy reduces both the metabolism and toxicity of benzene. *J Toxicol Environ Health* 5:785-792.
- *Sandmeyer EE. 1981. Aromatic hydrocarbons. In: Clayton GD, Clayton FE, eds. *Patty's industrial hygiene and toxicology*. Vol. 2B. 3rd rev. ed. New York, NY: John Wiley & Sons, 3253-3283.
- *Sardas S, Karakaya AE, Furtun Y. 1994. Sister chromatid exchanges in workers employed in car painting workshops. *Int Arch Occup Environ Health* 66:33-35.
- *Sasiadek M. 1992. Nonrandom distribution of breakpoints in the karyotypes of workers occupationally exposed to benzene. *Environ Health Perspect* 97:255-257.
- *Sasiadek M, Jagielski J. 1990. Genotoxic effects observed in workers occupationally exposed to organic solvents. *Pol J Occup Med* 3(1):103-108.
- *Sasiadek M, Jagielski J, Smolik R. 1989. Localization of breakpoints in the karyotype of workers professionally exposed to benzene. *Mutat Res* 224:235-240.
- *Sato A, Nakajima T. 1979a. Dose-dependent metabolic integration between benzene and toluene in vivo and *in vitro*. *Toxicol Appl Pharmacol* 48:249-256.
- *Sato A, Nakajima T. 1979b. Partition coefficients of some aromatic hydrocarbons and ketones in water, blood and oil. *Br J Ind Med* 36:231-234.
- *Sato A, Nakajima T. 1985. Enhanced metabolism of volatile hydrocarbons in rat liver following food deprivation, restricted carbohydrate intake, and administration of ethanol, phenobarbital, polychlorinated biphenyl and 3-methylcholanthrene: A comparative study. *Xenobiotica* 15:67-75.

- *Sato A, Nakajima T, Fujiwara Y, et al. 1975. Kinetic studies on sex differences in susceptibility to chronic benzene intoxication - with special reference to body fat content. *Br J Ind Med* 32:321-328.
- *Sauer TC Jr. 1981. Volatile organic compounds in open ocean and coastal surface waters. *Org Geochem* 3:91-101.
- *Sawahata T, Neal RA. 1983. Biotransformation of phenol to hydroquinone and catechol by rat liver microsomes. *Mol Pharmacol* 23:453-460.
- *Sax NI, Lewis RJ. 1987. *Hawley's Condensed Chemical Dictionary*. 11th ed. New York, NY: Van Nostrand Reinhold Co., 129.
- *Saxton J, Narkus-Kramer M. 1975. EPA findings of solid waste from industrial chemicals. *Chemical Engineering* 82:107-112.
- *Schad H, Schafer F, Weber L, et al. 1992. Determination of benzene metabolites in urine of mice by solid-phase extraction and high-performance liquid chromatography. *J Chromatog* 593:147-151.
- *Schafer F, Schad H, Weber L. 1993. Determination of phenylmercapturic acid in urine of benzene-exposed BDF-1 mice. *J Chromatog* 620:239-242.
- *Schattenberg DG, Stillman WS, Gruntmeir JJ, et al. 1994. Peroxidase activity in murine and human hematopoietic progenitor cells: potential relevance to benzene-induced toxicity. *Mol Pharmacol* 46(2):346-351.
- *Scheding S, Loeffler M, Schmitz S, et al. 1992. Hematotoxic effects of benzene analyzed by mathematical modeling. *Toxicology* 72:265-279.
- *Scherer G, Ruppert T, Daube H, et al. 1995. Contribution of tobacco smoke to environmental benzene exposure in Germany. *Environ Int* 21(6):779-789.
- *Scheunert I, Topp E, Schmitzer J, et al. 1985. Formation and fate of bound residues on [¹⁴C]benzene and [¹⁴C]chlorobenzenes in soil and plants. *Ecotox Environ Safety* 9: 159-170.
- *Schlosser PM, Bond JA, Medinsky MA. 1993. Benzene and phenol metabolism by mouse and rat liver microsomes. *Carcinogenesis* 14:2477-2486.
- *Schoenfeld HA, Radbourne R, Goldstein BD et al. 1996. Mechanistic studies on benzene toxicity: formation of DNA-protein crosslinks induced by benzene in mice and muconaldehyde in HL60 cells. *Fundamental and Applied Toxicology. The Toxicologist* 30(1):232.
- *Schoeters G E R, Vander Plaetse F, Leppens H, et al. 1995. Haemopoietic and osteogenic toxicity testing *in vitro* using murine bone marrow cultures. *Toxicology in vitro* 9 (4): 421-428.
- *Schrenk D, Bock KW. 1990. Metabolism of benzene in rat hepatocytes. Influence of inducers on phenol glucuronidation. *Drug Metab Dispos* 18(5):720-725.
- *Schrenk D, Ingelman-Sundberg M, Bock KW. 1992. Influence of P-4502E1 induction on benzene metabolism in rat hepatocytes and on biliary metabolite excretion. *Drug Metab Dispos* 20(2): 137-141.

- *Schrenk D, Orzechowski A, Schwarz LR. 1996. Phase II metabolism of benzene. *Environ Health Perspect* 104 (Suppl 6):1183-1188.
- *Schrenk HH, Yant WP, Pearce SJ, et al. 1941. Absorption, distribution and elimination of benzene by body tissues and fluids of dogs exposed to benzene vapor. *J Ind Hyg Toxicol* 23:20-34.
- *Schuberth J. 1994. Joint use of retention index and mass spectrum in post-mortem test for volatile organics by headspace capillary gas chromatography with ion-trap detection. *J Chromatogr A* 674:63-71.
- *Schultz B, Kjeldsen P. 1986. Screening of organic matter in leachates from sanitary landfills using gas chromatography combined with mass spectrometry. *Water Res* 20:965-970.
- *Seaton MJ, Asgharian B, Farris G. 1996. Effects of benzene and unleaded gasoline coexposures on benzene metabolism and toxicity. *Fundamental and applied toxicology. The Toxicologist*. 30(1):219.
- *Seaton MJ, Schlosser PM, Bond JA, et al. 1995. The potential influence of interindividual variation in phase I and phase II metabolism of benzene on benzene toxicity. In: Abstracts of the 34th annual meeting. *Toxicologist* 15(1):58-59.
- *Seidel HJ, Bader R, Weber L, et al. 1990. The influence of ethanol on the stem cell toxicity of benzene in mice. *Toxicol Appl Pharmacol* 105(1):13-18.
- *Seidel HJ, Barthel E, Schafer F, et al. 1991. Action of benzene metabolites on murine hematopoietic colony-forming cells *in vitro*. *Toxicol Appl Pharmacol* 111(1): 128- 13 1.
- *Seidel HJ, Barthel E, Zinser D. 1989a. The hematopoietic stem cell compartments in mice during and after long-term inhalation of three doses of benzene. *Exp Hematol* 17:300-303.
- *Seidel HJ, Beyvers G, Pape M, et al. 1989b. The influence of benzene on the erythroid cell system in mice. *Exp Hematol* 17:760-764.
- *Seidenberg JM, Anderson DG, Becker RA. 1986. Validation of an *in vivo* developmental toxicity screen in the mouse. *Teratog Carcinog Mutagen* 6:361-374.
- *Seiji K, Jin C, Watanabe T, et al. 1990. Sister chromatid exchanges in peripheral lymphocytes of workers exposed to benzene, trichloroethylene, or tetrachloroethylene, with reference to smoking habits. *Int Arch Occup Environ Health* 62:171-176.
- *Seixas GM, Andon BM, Hollingshead PG, et al. 1982. The aza-arenes as mutagens for *Salmonella typhimurium*. *Mutat Res* 102:201-212.
- *Selling L. 1916. Benz01 as leucotoxin--Studies on the degeneration and regeneration of the blood hematopoietic organs. *Johns Hopkins Hosp Rep* 17:83-142.
- *Sellyei M, Kelemen E. 1971. Chromosome study in a case of granulocytic leukemia with "pelgerisation" 7 years after benzene pancytopenia. *Eur J Cancer* 7:83-85.

- *Serraino D, Franceschi S, LeVecchio C, et al. 1992. Occupation and soft-tissue sarcoma in northeastern Italy. *Cancer Causes and Controls* 3:25-30.
- *Shah JJ, Singh HB. 1988. Distribution of volatile organic chemicals in outdoor and indoor air. *Environmental Science and Technology* 22: 1381-1388.
- *Shamy MY, El Gazzar RME, El Sayed MA, et al. 1994. Study of some biochemical changes among workers occupationally exposed to phenol, alone or in combination with other organic solvents. *Ind Health* 32:207-214.
- *Shankar U, Kumar A, Rao GS, et al. 1993. Modulation of benzene induced toxicity by protein A. *Biochem Pharmacol* 46(3):517-524.
- *Sharma RK, Jacobsen-Kram D, Lemmon M, et al. 1985. Sister-chromatid exchange and cell replication kinetics in fetal and maternal cells after treatment with chemical teratogens. *Mutat Res* 158:217-231.
- *Shelby MD, Erexson GL, Hook GJ, et al. 1993. Evaluation of a three-exposure mouse bone marrow micronucleus protocol: Results with 49 chemicals. *Environ Mol Mutagen* 21(2):160-179.
- *Shelby MD, Witt KL. 1995. Comparison of results from mouse bone marrow chromosome aberration and micronucleus test. *Environ Mol Mutagen* 25:302-313.
- *Shell. 1980. Initial Submission: A dominant-lethal inhalation study with benzene in rats (final report) with attachments and cover letter dated 041492 EPA/OTS; Dot 88-920002041.
- *Shell. 1992. Initial Submission: Draft Report on immunosuppression of B6C3F₁ female mice following subchronic Exposure to benzene from drinking water EPA/OTS; Dot #88-920002020.
- *Sherwood RJ. 1972. Benzene: The interpretation of monitoring results. *Ann Occup Hyg* 15:409-421.
- *Sherwood RJ. 1988. Pharmacokinetics of benzene in a human after exposure at about the permissible limit. *Ann NY Acad Sci* 534:635-647.
- *Sherwood RJ, Carter FWG. 1970. The measurement of occupational exposure to benzene vapour. *Ann Occup Hyg* 13:125-146.
- Shuckrow AJ, Pajak AP, Touhill CJ. 1982. Management of hazardous waste leachate. Contract No. 68-03-2766. Municipal Environmental Research Laboratory, Office of Research and Development, EPA, Cincinnati. OH
- *Sidhu KS, Chadzynski L. 1994. Risk communication: Health risks associated with environmentally contaminated private wells versus chloroform in a public water supply. *J Environ Health* 56(10):13-16.
- *Singh GB, Salas LJ, Cantrell BK, et al. 1985. Distribution of aromatic hydrocarbons in ambient air. *Atmos Environ* 19:1911-1919.

- *Singh V, Ahmad S, Rao GS. 1994. Prooxidant and antioxidant properties of iron-hydroquinone and iron-1,2,4-benzenetriol complex. implications for benzene toxicity. *Toxicology* 89(1):25-33.
- *Siou G, Conan L, el Haitem M. 1981. Evaluation of the clastogenic action of benzene by oral administration with 2 cytogenetic techniques in mouse and Chinese hamster. *Mutat Res* 90:273-278.
- Sittig M, ed. 1994a. Pesticide manufacturing and toxic materials control encyclopedia. Park Ridge, NJ: Noyes Data Corporation, 366-373.
- Sittig M. 1994b. Worldwide limits for toxic and hazardous changes in air, water, and soil. Park Ridge, NJ: Noyes Publications, page 78.
- *Skowronski GA, Turkall RM, Abdel-Rahman MS. 1988. Soil adsorption alters bioavailability of benzene in dermally exposed male rats. *Am Ind Hyg Assoc J* 49:506-511.
- *Smith MT, Rothman N, Zhang L. et al. 1996. Molecular cytogenetics of humans exposed to benzene. *Fund Applied Toxicology. The Toxicologist*. 30(1):178.
- *Smith MT, Yager JW, Steinmetz KL, et al. 1989. Peroxidase-dependent metabolism of benzene's phenolic metabolites and its potential role in benzene toxicity and carcinogenicity. *Environ Health Perspect* 82:23-29.
- *Smith MT, Zhang L, Rothman N, et al. 1995. Interphase cytogenetics of workers exposed to benzene. In: Abstracts of the 34th annual meeting. *Toxicologist* 15(1):87.
- *Smyth HF, Carpenter CP, Weil CS, et al. 1962. Range-finding toxicity data: List VI. *J Ind Hyg Assoc* 23:95-107.
- *Snyder CA. 1987. Benzene. In: Snyder R, ed. Ethyl Browning's toxicity and metabolism of industrial solvents, 2nd ed., Vol. 1: Hydrocarbons.
- *Snyder CA, Erlichman MN, Laskin S, et al. 1981b. The pharmacokinetics of repetitive benzene exposures at 300 and 100 ppm in AKR mice and Sprague-Dawley rats. *Toxicol Appl Pharmacol* 57:164-171.
- *Snyder CA, Goldstein BD, Sellakumar A. 1978a. Hematotoxicity of inhaled benzene to Sprague-Dawley rats and AKR mice at 300 ppm. *J Toxicol Environ Health* 4:605-618.
- *Snyder CA, Goldstein BD, Sellakumar AR. 1984. Evidence for hematotoxicity and tumorigenesis in rats exposed to 100 ppm benzene. *Am J Ind Med* 5:429-434.
- *Snyder CA, Goldstein BD, Sellakumar AR, et al. 1980. The inhalation toxicology of benzene: Incidence of hematopoietic neoplasms and hematotoxicity in AKR/J and C57BL/6J mice. *Toxicol Appl Pharmacol* 54:323-33 1.
- *Snyder CA, Green JD, LoBue J, et al. 1981~. Protracted benzene exposure causes a proliferation of myeloblasts and/or promyelocytes in CD-1 mice. *Bull Environ Contam Toxicol* 27:17-22.

- *Snyder CA, Sellakumar AR, James DJ, et al. 1988. The carcinogenicity of discontinuous inhaled benzene exposures in CD-1 and C57BL/6 mice. *Arch Toxicol* 62:331-335.
- *Snyder R, Hedli CC. 1996. An overview of benzene metabolism. *Environ Health Perspect* 104 (Suppl 6):1165-1171.
- *Snyder R, Chepiga T, Yang CS, et al. 1993a. Benzene metabolism by reconstituted cytochromes P450, 2B1, and 2E1 and its modulation by cytochrome b5, microsomal epoxide hydrolase, and glutathione transferases: evidence for an important role of microsomal epoxide hydrolase in the formation of hydroquinone. *Toxicol Appl Pharmacol* 122(2): 172-181.
- *Snyder R, Dimitriadis E, Guy R, et al. 1989. Studies on the mechanism of benzene toxicity. *Environ Health Perspect* 82:3 1-35.
- *Snyder R, Jowa L, Witz G, et al. 1987. Formation of reactive metabolites from benzene. *Arch Toxicol* 60:61-64.
- *Snyder R, Kalf GF. 1994. A perspective on benzene leukemogenesis. *Crit Rev Toxicol* 1994 24(3):177-209.
- *Snyder R, Kocsis JJ. 1975. Current concepts of chronic benzene toxicity. *CRC Crit Rev Toxicol* 3:265-288.
- *Snyder R, Lee EW, Kocsis JJ. 1978b. Binding of labeled metabolites to mouse liver and bone marrow. *Res Commun Chem Pathol Pharmacol* 20: 19 1- 194.
- *Snyder R, Witz G, Goldstein BD. 1993b. The toxicology of benzene. *Environ Health Perspect* 100:293-306.
- *Sole F, Caballin MR, Co11 MD, et al. 1990. Acute lymphoblastic leukemia with t(4;11) in a patient previously exposed to a carcinogen. *Cancer Genet Cytogenet* 49(1):133-136.
- *Spear RC, Bois FY, Woodruff T, et al. 1991. Modeling benzene pharmacokinetics across three sets of animal data: parametric sensitivity and risk implications. *Risk Anal* 11(4):641-654.
- *Sporstol S, Urdal K, Drangsholt H, et al. 1985. Description of a method for automated determination of organic pollutants in water. *Int J Environ Anal Chem* 21:129-138.
- *Srbova J, Teisinger J, Skramovsky S. 1950. Absorption and elimination of inhaled benzene in man. *Arch Ind Hyg Occup Med* 2:1-8.
- *SRI 1993. 1993 Directory of Chemical Producers. United States of America. Stanford Research Institute International. Menlo Park, CA. p 471-472.
- *SRI 1994. 1994 Directory of Chemical Producers. United States of America. Stanford Research Institute International. Menlo Park, CA. 472.
- *SRI 1995. 1995 Directory of Chemical Producers. United States of America. Stanford Research Institute International. Menlo Park. CA. 466.

- *St-Germain F, Mamer O, Brunet J, et al. 1995. Volatile organic compound analysis by an inertial spray extraction interface coupled to an ion trap mass spectrometer. *Anal Chem* 67:4536-4541.
- *Staples CA, Werner AF, Hoogheem TJ. 1985. Assessment of priority pollutant concentrations in the United States using STORET database. *Environmental Toxicology and Chemistry* 4: 131-142.
- *Steineck G, Plato N, Gerhardsson M, et al. 1990. Increased risk of urothelial cancer in Stockholm during 1985-87 after exposure to benzene and exhausts. *Int J Cancer* 45:1012-1017.
- *Stetter JR, Jurs PC, Rose SL. 1986. Detection of hazardous gases and vapors: Pattern recognition analysis of data from an electrochemical sensor array. *Anal Chem* 58:860-866.
- *Stolze K, Nohl H. 1994. Effect of xenobiotics on the respiratory activity of rat heart mitochondria and the concomitant formation of superoxide radicals. *Environmental Toxicology And Chemistry*; 13 (3):499-502.
- *Stommel P, Muller G, Stucker W. 1989. Determination of S-phenylmercapturic acid in the urine an improvement in the biological monitoring of benzene exposure. *Carcinogenesis* 10(2):279-282
- *Stoner RD, Drew RT, Bernstein DM. 1981. Benzene-inhalation effects upon tetanus antitoxin responses and leukemogenesis in mice. In: Mahlum DD, Gray RH, Felix WD, eds. *Coal conversion and the environment*. Oak Ridge, TN: U.S. Department of Energy, Technical Information Center, 445-461.
- *Storck WJ. 1991. Better times ahead for chemicals industry. *Chemical and Engineering News*, December 9:37-39.
- *Stuart JD, Lute HD, Smith SR, et al. 1984. Detection and effects of aperiodic leachate discharges from landfills. Technical report. Storrs, CT: Institute of Water Resources, University of Connecticut. NTIS PB 85-242949.
- *Stucker I, Mandereau L, Aubert-Berleur MP, et al. 1994. Occupational paternal exposure to benzene and risk of spontaneous abortion. *Occupational Environ Med* 51:475-478.
- *Stutz DR, Janusz SJ. 1988. *Hazardous Materials Injuries: A Handbook for Pre-Hospital Care*. Bradford Communications Corporation, Beltsville, MD. 298-299.
- *Styles JA, Richardson CR. 1984. Cytogenetic effects of benzene: Dosimetric studies on rats exposed to benzene vapour. *Mutat Res* 135:203-209.
- *Subrahmanyam VV, Doane-Setzer P, Steinmetz KL, et al. 1990. Phenol-induced stimulation of hydroquinone bioactivation in mouse bone marrow *in vivo*: possible implications in benzene myelotoxicity. *Toxicology* 62(1): 107-116.
- *Subrahmanyam VV, Kolachana P, Smith MT. 1991. Hydroxylation of phenol to hydroquinone catalyzed by a human myeloperoxidase-superoxide complex: possible implications in benzene-induced myelotoxicity. *Free Rad Res Commun* 15(5):285-296.

- *Sullivan J, Krieger G., eds. 1972. Hazardous material toxicology. Clinical Principles of environmental health. Williams and Wilkins. Baltimore, Md. 725-731
- *Sun. 1971. Initial Submission: Subacute inhalation study of benzene on monkeys (final report) with attachment and cover letter dated 022892 EPA/OTS; doc #:88-920001855.
- *Sun JD, Medinsky MA, Birnbaum LS, et al. 1990. Benzene hemoglobin adducts in mice and rats: Characterization of formation and physiological modeling. *Fundam Appl Toxicol* 15:468-475.
- *Susten A, Dames B, Burg J, et al. 1985. Percutaneous penetration of benzene in hairless mice: An estimate of dermal absorption during tire-building operations. *Am J Ind Med* 7:323-335.
- *Suzuki S, Atai H, Hatakeyama Y, et al. 1989. Administration-route-related differences in the micronucleus test with benzene. *Mutat Res* 223:407-410.
- *Swenberg JA, Petzold GL, Harbach PR. 1976. *In vitro* DNA damage/alkaline elution assay for predicting carcinogenic potential. *Biochem Biophys Res Commun* 72:732-738.
- *Tabak HH, Quave SA, Mashni CI, et al. 1981. Biodegradability studies with organic priority pollutant compounds. *J Water Pollut Control Fed* 53: 1503-1518.
- Tabershaw IR, Lamm SH, Infante PF, et al. 1977. Benzene and leukemia. *Lancet* (2): 868-869.
- *Tarringher M, Perrotta A, Malacarne D, et al. 1995. Lack of significant promoting activity by benzene in the rat liver model of carcinogenesis. *J Toxicol Environ Health* 45:481-488.
- *Tannoka H. 1977. Development and application of *Bacillus subtilis* test systems for mutagens, involving DNA-repair deficiency and suppressible auxotrophic mutations. *Mutat Res* 42: 19-32.
- *Tatrai E, Rodics K, Ungvary G. 1980a. Embryotoxic effects of simultaneously applied exposure of benzene and toluene. *Folia Morphol (Praha)* 28:286-289.
- *Tatrai E, Ungvary GY, Hudak A, et al. 1980b. Concentration dependence of the embryotoxic effects of benzene inhalation in CFY rats. *J Hyg Epidemiol Microbiol Immunol* 24:363-371.
- *Tauber J. 1970. Instant benzol death. *J Occup Med* 12:91-92.
- *Taylor L, Morris SS. 1995. Final report on the operations and findings of the Anchorage volatile organic compounds (VOV) monitoring project. Department of Health and Human Services, Environmental Services Division, Municipality of Anchorage, Anchorage Air Pollution Control Agency, Anchorage, Alaska.
- *Teisinger J, Fiserova-Bergerova B. 1955. Valeus Camparee de la determination des sulfates et du phenol contenus dans l'urine pour l'evaluation de la concentration du benzene dans l'air. *Archives des Maladies Professionnelles de Medecine du Travail et de Securite Sociale* 16:221-232. (French)
- *Thienes H, Haley TJ. 1972. Clinical toxicology. 5th ed. Philadelphia, PA: Lea & Febiger, 124-127.

8. REFERENCES

- *Thomas KW, Pellizzari ED, Clayton CA, et al. 1993. Temporal variability of benzene exposures for residents in several New Jersey homes with attached garages or tobacco smoke. *J Expo Anal Environ Epidemiol* 3(1):49-73.
- *Thomas KW, Pellizzari ED, Cooper SD. 1991. A canister-based method for collection and GC/M5 analysis of volatile organic compounds in human breath. *J Anal Toxicol* 15:54-59.
- *Thrall, K. 1997. Personal communication with Robert Chessin, RTI. Richland, Washington.
- *Tice RR, Costa DL, Drew RT. 1980. Cytogenetic effects of inhaled benzene in murine bone marrow: Induction of sister chromatid exchanges, chromosomal aberrations, and cellular proliferation inhibition in DBA/2 mice. *Proc Natl Acad Sci USA* 77:2148-2152.
- *Tice RR, Vogt TF, Costa DL. 1982. Cytogenetic effects of inhaled benzene in murine bone marrow. In: *Genotoxic effects of airborne agents*. *Environ Sci Res* 25:257-275.
- *Taft K, Olofsson T, Tunek A, et al. 1982. Toxic effects on mouse bone marrow caused by inhalation of benzene. *Arch Toxicol* 51:295-302.
- *Tomba A, Major J, Jakab MG. 1994. Monitoring of benzene-exposed workers for genotoxic effects of benzene: improved-working-condition-related decrease in the frequencies of chromosomal aberrations in peripheral blood lymphocytes. *Mutat Res* 304 (2):159-165.
- *Tondel M, Persson B, Carstensen J. 1995. Myelofibrosis and benzene exposure. *Occup Med* 45(1):51-52.
- *Topham JC. 1980. Do induced sperm-head abnormalities in mice specifically identify mammalian mutagens rather than carcinogens? *Mutat Res* 74:379-387.
- *Topp E, Scheunert I, Korte F. 1989. Kinetics of the uptake of ¹⁴C-labeled chlorinated benzene from soil by plants. *Ecotox Environ Safety* 17:157-166.
- *Tough IM, Court Brown WM. 1965. Chromosome aberrations and exposure to ambient benzene. *Lancet* 1:684.
- *Tough IM, Smith PG, Brown WMC. 1970. Chromosome studies on workers exposed to atmospheric benzene. *Europ J Cancer* 6:49-55.
- *Townsend JC, Ott MG, Fishbeck WA. 1978. Health exam findings among individuals occupationally exposed to benzene. *J Occup Med* 20:543-548.
- *Travis C, Bowers J. 1990. Altered pharmacokinetics of soil-adsorbed benzene administered orally in the rat. *Bull Environ Contam Toxicol* 45(2):197-207.
- *Travis CC, Fox MT, Simmons WM, et al. 1992. Co-exposure to gasoline vapor decreases benzene metabolism in Fischer-344 rats. *Toxicol Lett* 62(2-3):231-240.
- *Travis CC, Quillen JL, Arms AD. 1990. Pharmacokinetics of benzene. *Toxicol Appl Pharmacol* 102:400-420.

- Travis LB, Li CY, Zhang ZN, et al. 1994. Hematopoietic malignancies and related disorders among benzene-exposed workers in China. *Leukemia and Lymphoma* 14:91-102.
- *TRI90. 1992. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *TRI92. 1994. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *TRI93. 1995. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *Tsai SP, Wen CP, Weiss NS, et al. 1983. Retrospective mortality and medical surveillance studies of workers in benzene areas of refineries. *J Occup Med* 25:685-692.
- *Tsuruta H. 1989. Skin absorption of organic solvent vapors in nude mice *in vivo*. *Ind Health* 27:37-47.
- *Tucker WA, Huang C, Bra1 JM. 1986. Validation of transport model. In: *Benzene in Florida groundwater: An assessment of the significance to human health*. Tallahassee, FL: Florida Petroleum Council, American Petroleum Institute, 93-108.
- *Tunca BT, Egeli U. 1996. Cytogenetic findings of shoe workers exposed long-term to benzene. *Environ Health Perspect* 104 (Suppl 6):1313-1317.
- *Tunek A, Olofsson T, Berlin M. 1981. Toxic effects of benzene and benzene metabolites on granulopoietic stem cells and bone marrow cellularity in mice. *Toxicol Appl Pharmacol* 59: 149-156.
- *Turk R, Fuchs R, Momcilovic B. 1991. Granulocyte reserve in chronic experimental benzene poisoning in rats. *Arh Hig Rada Toksikol* 42(1):37-42.
- *Turkall RM, Skowronski G, Gerges S, et al. 1988. Soil absorption alters kinetics and bioavailability of benzene in orally exposed male rats. *Arch Environ Contam Toxicol* 17: 159-164.
- *Turkel B, Egeli U. 1994. Analysis of chromosomal aberrations in shoe workers exposed long term to benzene. *Occupational and Environmental Medicine* 51:50-53.
- U.S. Congress. 1986. Superfund Amendments and Reauthorization Act of 1986. 99th Congress, 2nd Session, October, 17, 1986.
- *U.S. Congress. 1990. Clean Air Act Amendments of 1990. Conference Report to Accompany S. 1630. U.S. House of Representatives. 101st Congress, 2d Session. Report No. 101-952.
- *Uchrin CG, Mangels G. 1987. Sorption equilibria of benzene and toluene on two New Jersey coastal plain ground water aquifer solids. *J Environ Sci Health [A]* 22:743-758.
- *Ungvary G, Tatrai E. 1985. On the embryotoxic effects of benzene and its alkyl derivatives in mice, rats and rabbits. *Arch Toxicol Suppl* 8:425-430.

- *USDOC. 1994. U.S. Merchandise Import and Export Trade. Retrieved from National Trade Data bank. United States Department of Commerce, Bureau of Census, June 29, 1994.
- *USDOC. 1995. U.S. Merchandise Import and Export Trade. Retrieved from National Trade Data Bank. United States Department of Commerce, Bureau of Census.
- *USITC. 1995. Preliminary report on U.S. production of selected synthetic organic chemicals (including synthetic plastics and resin materials) first quarter, second quarter and cumulative totals, 1994.
- *Utterback DF, Rinsky RA. 1995. Benzene exposure assessment in rubber hydrochloride workers: a critical evaluation of previous estimates. *Am J Ind Med* May 1995 27(5):661-676.
- *Vaalavirta L, Tahti H. 1995. Effects of selected organic solvents on the astrocyte membrane atpase *in vitro*. *Clin Exp Pharmacol Physiol* 22(4):293-294.
- *Vacha J, Znojil V, Seidel HJ, et al. 1990. Ferrokinetics and erythropoiesis in mice after long-term inhalation of benzene. *Blut* 60(1):41-47.
- *Vaishnav DD, Babeu L. 1987. Comparison of occurrence and rates of chemical biodegradation in natural waters. *Bull Environ Contam Toxicol* 39:237-244.
- *Valentine JL, Seaton MJ, Asgharian B. 1996. Benzene metabolism and toxicity in transgenic CYP2E1 knockout mice. *Fundamental and applied toxicology. The Toxicologist*. 30(1):73.
- *Van den Berghe H, Louwagie A, Broeckaert-Van Orshoven A, et al. 1979. Chromosome analysis in two unusual malignant blood disorders presumably induced by benzene. *Blood* 53:558-566.
- *Van Emon JM, Gerlach CL. 1995. A status report on field-portable immunoassay. *Environ Sci Tech* 29(7):312-317.
- *van Sittert NJ, Boogaard PJ, Beulink GD. 1993. Application of the urinary S-phenylmercapturic acid test as a biomarker for low levels of exposure to benzene in industry. *Br J Ind Med* 50(5):460-469,
- *van Sittert NJ, de Jong G. 1985. Biomonitoring of exposure to potential mutagens and carcinogens in industrial populations. *Fd Chem Toxic* 23:23-31.
- *van Wijnen JH, Verhoeff AP, Jans H WA, et al. 1995. The exposure of cyclists, car drivers and pedestrians to traffic-related air pollutants. *International Archives of Occupational and Environmental Health* 67(3):187-193.
- *Vara P, Kinnunen O. 1946. Benzene toxicity as a gynecologic problem. *Acta Obstet Gynecol Stand* 26:433-452.
- *Verschuieren K. 1983. Handbook of environmental data on organic chemicals. 2nd ed. New York, NY: Van Nostrand Reinhold Co., 236-242.
- *Vigliani EC, Forni A. 1976. Benzene and leukemia. *Environ Res* 11:122-127.

- *Vogel TM, Grbic-Galic D. 1986. Incorporation of oxygen from water into toluene and benzene during anaerobic fermentative transformation. *Appl Environ Microbiol* 52:200-202.
- *Van Oettingen WF. 1940. Toxicity and potential dangers of aliphatic and aromatic hydrocarbons: A critical review of the literature. Washington, DC: U.S. Public Health Service, Division of Industrial Hygiene, National Institute of Health, Public Health Bulletin no. 255, 66-97, 125-135.
- *Voytek PE, Thorslund TW. 1991. Benzene risk assessment: status of quantifying the leukemogenic risk associated with the low-dose inhalation of benzene. *Risk Anal* 11(3):355-357.
- *WAC. 1985. Groundwater quality. Wisconsin Administrative Code, Chapter NR 140. Department of Natural Resources.
- *WAC. 1988. Table 3. Hazardous Air Contaminants without Acceptable Ambient Concentrations Requiring Application of Lowest Achievable Emission Rate for Sources of Group A Hazardous Air Contaminants. Wisconsin Administrative Code. Hazardous Air Pollutants Emissions Standards. DNR 445.04.
- *WAC. 1989a. Table 9. Human Cancer Criteria for Public Water Supply. Wisconsin Administrative Code. Water Quality Standards. DNR 105.09.
- *WAC. 1989b. Table 9. Human Cancer Criteria for Nonpublic Water Supply. Wisconsin Administrative Code. Water Quality Standards. DNR 105.09.
- *WAC. 1994a. Enforcement Standard. Wisconsin Administrative Code. Groundwater Quality Standards. DNR 140.10.
- *WAC. 1994b. Preventative Action Limit. Wisconsin Administrative Code. Groundwater Quality Standards. DNR 140.10.
- *Wallace LA. 1986. The total exposure assessment methodology (TEAM) study: Part I: Summary and analysis; Part II: Protocols for environmental and human sampling and analysis. Final report to the Environmental Protection Agency.
- *Wallace LA, Pellizzari ED, Hartwell TD, et. al. 1986. Total exposure assessment methodology (TEAM) study: Personal exposures, indoor-outdoor relationships, and breath levels of volatile organic compounds in New Jersey. *Environment International* 12:369-387.
- *Wallace LA. 1989a. Major sources of benzene exposure. *Environ Health Perspect* 82: 165-169.
- *Wallace LA. 1989b. The exposure of the general population to benzene. *Cell Biol Toxicol* 5:297-314.
- *Wallace LA. 1995. Human exposure to environmental pollutants: a decade of experience. *Clinical and Experimental Allergy* 25:4-9.
- *Wallace LA, Nelson WC, Ziegenfuss R, et al. 1991. The Los Angeles Team Study: Personal Exposures, Indoor-Outdoor air Concentrations, and Breath Concentrations of 25 Volatile Organic Compounds. *J Exp Anal Environ Epidemiol* 1(2):157-192.

- *Wallace LA, Pellizzari ED. 1986. Personal air exposure and breath concentrations of benzene and other volatile hydrocarbons for smokers and nonsmokers. *Toxicol Lett* 35:113-116.
- *Wallace LA, Pellizzari ED, Hartwell TD, et al. 1985. Personal exposures, indoor-outdoor relationships, and breath levels of toxic air pollutants measured for 355 person in New Jersey. *Atmos Environ* 19:1651-1661.
- *Wallace LA, Pellizzari ED, Hartwell TD, et al. 1987. Exposures to benzene and other volatile compounds from active and passive smoking. *Arch Environ Health* 42:272-279.
- *Ward CO, Kuna RA, Snyder NK, et al. 1985. Subchronic inhalation toxicity of benzene in rats and mice. *Am J Ind Med* 7:457-473.
- *Ward JB Jr, Ammenheuser MM, Ramanujam VMS, et al. 1992. The mutagenic effects of low level sub-acute inhalation exposure to benzene in CD-1 mice. *Mutat Res* 268(1):49-57.
- *Watanabe KH, Bois FY, Daisey JM, et al. 1994. Benzene toxicokinetics in humans: exposure of bone marrow to metabolites. *Occup Environ Med* 51(6):414-420.
- *WDNR. 1987. Surface water quality criteria for toxic substances. Order of the State of Wisconsin Natural Resources Board Repealing, Renumbering, Renumbering and Amending, Amending, Repealing and Recreating, and Creating Rules. Section 27, Chapter NR 105. Department of Natural Resources, Wisconsin.
- *Weisel C, Yu R, Roy A, et al. 1996. Biomarkers of environmental benzene exposure. *Environ Health Perspect* 104 (Suppl 6):1141-1146.
- *Weisel CP, Yu R. 1995. Exhaled breath and urinary muconic acid as biomarkers of environmental benzene exposures. 209th American Chemical Society National Meeting, Anaheim, California, USA, April 2-6, 1995. Abstracts Of Papers American Chemical Society; 209:(1-2) Agro 91.
- *Wells MS, Nerland DE. 1991. Hematotoxicity and concentration-dependent conjugation of phenol in mice following inhalation exposure to benzene. *Toxicol Lett* 56(1-2):159-166.
- *Wester RC, Maibach HI, Gruenke LD, et al. 1986. Benzene levels in ambient air and breath of smokers and nonsmokers in urban and pristine environments. *J Toxicol Environ Health* 18:567-573.
- *White MC, Johnson CA, Ashley, et al. 1993. Exposure to methyl tertiary-butyl ether from oxygenated gasoline in Stamford, Connecticut. *Archives of Environmental Health* 50(3):183-189.
- *WHO. 1984. Guidelines for drinking water quality. Vol. 2: Health criteria and other supporting information. Geneva, Switzerland: World Health Organization.
- *WHO. 1991. Guidelines for Drinking Water Quality. Vol. I. Recommendations. World Health Organization.
- *Williams GM, Tong C, Ved Brat S. 1985. Tests with the rat hepatocyte primary culture/DNA-repair test. *Progress in Mutation Research* 5:341-345.

- *Wilson BH, Smith GB, Rees JF. 1986. Biotransformation of selected alkylbenzenes and halogenated hydrocarbons in methanogenic aquifer material: A microcosm study. *Environ Sci Technol* 20:997-1002.
- *Winek CL, Collom WD. 1971. Benzene and toluene fatalities. *J Occup Med* 13:259-261.
- *Winek CL, Collom WD, Wecht CH. 1967. Fatal benzene exposure by glue sniffing. *Lancet* (March 25):683.
- *Witz G, Zhang Z, Goldstein BD. 1996. Reactive ring-opened aldehyde metabolites in benzene toxicity. *Environ Health Perspect* 104 (Suppl 6): 1195-1199.
- *Witz G, Kirley TA, Maniara WM, et al. 1990. The metabolism of benzene to muconic acid, a potential biological marker of benzene exposure. *Biological Reactive Intermediates IV* 283:613-618.
- *Witz G, Latriano L, Goldstein BD. 1989. Metabolism and toxicity of *trans,trans*-muconaldehyde, and open-ring microsomal metabolite of benzene. *Environ Health Perspect* 82:19-22.
- *Witz G, Maniara W, Mylavarapu V, et al. 1990. Comparative metabolism of benzene and *trans,trans*-muconaldehyde to *trans,trans*-muconic acid in DBA/2N and C57BL/6 mice. *Biochem Pharmacol* 40:1275-1280.
- *Witz G, Rao GS, Goldstein BD. 1985. Short-term toxicity of *trans,trans*-muconaldehyde. *Toxicol Appl Pharmacol* 80:511-516.
- *Wolf MA, Rowe VK, McCollister DD, et al. 1956. Toxicological studies of certain alkylated benzene and benzene. *AMA Arch Ind Health* 14:387-398.
- *Wolff SP. 1992. Correlation between car ownership and leukaemia: is non-occupational exposure to benzene from petrol and motor vehicle exhaust a causative factor in leukaemia and lymphoma? *Experientia* 48(3):301-304.
- *Wong O. 1987a. An industry wide mortality study of chemical workers occupationally exposed to benzene: I. General results. *Br J Ind Med* 44:365-381.
- *Wong O. 1987b. An industry wide mortality study of chemical workers occupationally exposed to benzene: II. Dose response analyses. *Br J Ind Med* 44:382-395.
- *Wong O. 1995. Risk of acute myeloid leukaemia and multiple myeloma in workers exposed to benzene. *Occupational and Environmental Medicine* 52:380-384.
- *Wong O, Morgan RW, Whorton MD. 1983. Comments on the NIOSH study of leukemia in benzene workers. Technical report submitted to Gulf Canada Ltd., by Environmental Health Associates, August 3 1.
- *Wong O, Raabe GK. 1995. Cell-Type-Specific leukemia analysis in a combined cohort of more than 208,000 petroleum workers in the United States and the United Kingdom, 1937-1989. *Regulatory Toxicology and Pharmacology* 21:307-321.

8. REFERENCES

- *Wood JA, Porter ML. 1987. Hazardous pollutants in Class II landfills. *J Air Pollut Control Assoc* 37:609-615.
- *Woodruff TJ, Bois FY. 1993. Optimization issues in physiological toxicokinetic modeling: A case study with benzene. *Toxicol Lett* 69(2):181-196.
- *Woodruff TJ, Bois FY, Auslander D, et al. 1992. Structure and parameterization of pharmacokinetic models: their impact on model predictions. *Risk Anal* 12(2):189-201.
- *Xia Z-L, Xi-Peng J, Pei-Lian L, et al. 1995. Ascertainment corrected prevalence rate (ACPR) of leukopenia in workers exposed to benzene in small-scale industries calculated with capture-recapture methods. *Biomed Environ Sci* 8:30-34.
- *Xing SG, Shi X, Wu ZL, et al. 1992. Transplacental genotoxicity of triethylenemelamine, benzene, and vinblastine in mice. *Teratogenesis Carcinog Mutagen* 12(5):223-230.
- *Yager JW, Eastmond DA, Robertson ML, et al. 1990. Characterization of micronuclei induced in human lymphocytes by benzene metabolites. *Cancer Res* 50(2):393-399.
- *Yardley-Jones A, Anderson D, Jenkinson PC, et al. 1988. Genotoxic effects in peripheral blood and urine of workers exposed to low level benzene. *Br J Ind Med* 45:694-700.
- *Yardley-Jones A, Anderson D, Lovell DP, et al. 1990. Analysis of chromosomal aberrations in workers exposed to low level benzene. *Br J Ind Med* 47(1):48-51.
- *Yeowell-O'Connell K, McDonald TA, Rappaport SM. 1996. Use of protein adducts to investigate the reactive metabolites of benzene in rats. *Fundamental and applied toxicology. The toxicologist* 30(1): 279-280
- *Yin S, Li G, Hu Y, et al. 1987b. Symptoms and signs of workers exposed to benzene, toluene or the combination. *Ind Health* 25:113-130.
- *Yin S, Li Q, Liang Y. 1982. Significance of leukocyte alkaline phosphatase in the diagnosis of chronic benzene poisoning. *Reg Toxicol Pharmacol* 2:209-212.
- *Yin SN, Linet MS, Hayes RB, et al. 1994. Cohort study among workers exposed to benzene in china: i. general methods and resources. *American Journal Of Industrial Medicine* 26 (3): 383-400.
- *Yin SN, Hayes RB, Linet MS, et al. 1996. An expanded cohort study of cancer among benzene-exposed workers in China. *Environ Health Perspect* 104 (Suppl 6): 1339-1341.
- *Yin SN, Li GL, Tain FD, et al. 1987a. Leukemia in benzene workers: A retrospective cohort study. *Br J Ind Med* 44:124-128.
- *Yin S-N, Li G-L, Tain F-D, et al. 1989. A retrospective cohort study of leukemia and other cancers in benzene workers. *Environ Health Perspect* 82:207-213.
- *Yin SN, Li Q, Liu Y, et al. 1987c. Occupational exposure to benzene in China. *Br J Ind Med* 44:192-195.

- *Young RJ, Rinsky RA, Infante PF, et al. 1978. Benzene in consumer products. *Science* 199:248.
- *Zenz C. 1978. Benzene--attempts to establish a lower exposure standard in the United States: A review. *Stand J Work Environ Health* 4:103-113.
- *Zenz C, Dickerson OB, Horvath EP, eds. 1994. Benzene. In: *Occupational medicine*, third edition. St. Louis, MO: Mosby, 721-722, 747-748.
- Zhang L, Robertson ML, Kolachana P, et al. 1993. Benzene metabolite, 1,2,4-Benzenetriol, induces micronuclei and oxidative DNA damage in human lymphocytes and HL60 cells. *Environ Mol Mutagen* 21:339-348.
- *Zhang LP, Rothman N, Wang Y, et al. 1996. Interphase cytogenetics of workers exposed to benzene. *Environ Health Perspect* 104 (Suppl 6):1325-1329.
- *Zhang Z, Goldstein BD, Witz G. 1995a. Iron-stimulated ring-opening of benzene in a mouse liver microsomal system. Mechanistic studies and formation of a new metabolite. *Biochem Pharmacol* 50(10):1607-1617.
- *Zhang Z, Schafer F, Schoenfeld H, et al. 199%. The hematotoxic effects of 6-hydroxy-trans, trans-2,4-hexadienal, a reactive metabolite of trans, trans-muconaldehyde, in cd-1 mice. *Toxicol Appl Pharmacol* 132(2):213-219.
- *Zhang Z, Xiang Q, Glatt H, et al. 1995b. Studies of pathways of ring opening of benzene in a fenton system. *Free Radical Biology & Medicine*; 18 (3):411-419.
- *Zhu H, Li Y, Trush MA. 1995. Differences in xenobiotic detoxifying activities between bone marrow stromal cells from mice and rats: implications for benzene-induced hematotoxicity. *J Toxicol Environ Health* 46 (2):183-201. The reference list is being compiled and printed from a database. It will be converted to WordPerfect in a later draft. A reference list is attached.